

*E-11 AC and DC ELECTRICAL SYSTEMS ON BOATS*

**Table of Contents**

11.1.	<i>PURPOSE</i> .....	1
11.2.	<i>SCOPE</i> .....	1
11.3.	<i>REFERENCED ORGANIZATIONS</i> .....	1
11.4.	<i>DEFINITIONS</i> .....	1
11.5.	<i>REQUIREMENTS</i> .....	3
11.6.	<i>SYSTEM VOLTAGE</i> .....	6
11.7.	<i>POWER SOURCE</i> .....	6
11.8.	<i>SHORE POWER POLARITY DEVICES</i> .....	21
11.9.	<i>ISOLATION OF GALVANIC CURRENTS</i> .....	21
11.10.	<i>LOAD CALCULATIONS</i> .....	22
11.11.	<i>PANELBOARD</i> .....	24
11.12.	<i>OVERCURRENT PROTECTION</i> .....	24
11.13.	<i>GROUND FAULT PROTECTION</i> .....	27
11.14.	<i>SWITCHES</i> .....	28
11.15.	<i>PLUGS AND RECEPTACLES</i> .....	28
11.16.	<i>SYSTEM WIRING</i> .....	29
11.17.	<i>APPLIANCES AND EQUIPMENT</i> .....	33
11.18.	<i>DC GROUNDING AND BONDING</i> .....	34



## ***E-11 AC and DC ELECTRICAL SYSTEMS ON BOATS***

*Based on ABYC's assessment of the existing technology, and the problems associated with achieving the goals of this standard, ABYC recommends compliance with this standard for all systems and associated equipment manufactured and/or installed after July 31, 2004.*

### **11.1. PURPOSE**

These standards are guides for the design, construction, and installation of direct current (DC) electrical systems on boats and of alternating current (AC) electrical systems on boats.

***NOTE: The United States Coast Guard has promulgated mandatory requirements for electrical systems in Title 33, CFR 183 Subpart I, Section 183. Refer to the CFR for complete, current federal requirements.***

### **11.2. SCOPE**

These standards apply:

11.2.1. to direct current (DC) electrical systems on boats that operate at potentials of 50 volts or less and,

***EXCEPTION: Any wire that is part of an outboard engine assembly and does not extend inside the boat.***

11.2.2. to boat alternating current (AC) electrical systems operating at frequencies of 50 or 60 hertz and less than 300 volts including shore powered systems up to the point of connection to the shore outlet and including the shore power cable.

### **11.3. REFERENCED ORGANIZATIONS**

ABYC - American Boat & Yacht Council, Inc., 3069 Solomon's Island Road, Edgewater, MD 21037-1416. Phone: 410-956-1050, Fax: 410-956-2737. Web site: www.abycinc.org

CFR - Code Of Federal Regulations and other government publications. Obtain from the Superintendent Of Documents, United States Government Information, POB 371 954, Pittsburgh, PA 15250-7954 202-512-1800 or FAX 202-512-2250. Web site: www.access.gpo.gov An excerpted edition of the CFR is also available from ABYC, Inc.

NEMA - National Electrical Manufacturer's Association, 1300 North 17<sup>th</sup> St, Suite 1847, Rosslyn, VA 22209. Phone: 703-841-3200, Fax: 703-841-5900. Web site: www.nema.org

NFPA - National Fire Protection Association, One Batterymarch Park, Quincy, MA 02269-9101. Phone: 617-770-3000. Fax: 617-770-0700. Web-site: www.nfpa.org

SAE - Society of Automotive Engineers, 400 Commonwealth Drive, Warrendale, PA 15096 Phone: 724-776-4841. Fax: 724-776-5760. web site: www.sae.org

USCG - United States Coast Guard, USCG Headquarters, Washington, DC, 25093-0001. Coast Guard Infoline: (800)-368-5647. Web site: www.uscgboating.org.

UL - Underwriters Laboratories Marine Department, POB 13995, 12 Laboratory Drive, Research Triangle Park, NC 27709. Phone: 919-549-1400. Fax: 919-547-6000. Web site: www.ul.com

### **11.4. DEFINITIONS**

For the purposes of this standard, the following definitions apply.

AC grounded conductor - A current carrying conductor that is intentionally maintained at ground potential.

***NOTE: This may be referred to as the neutral (white) conductor in AC electrical systems.***

AC grounding conductor (green or green with a yellow stripe) - A conductor, not normally carrying current, used to connect the metallic non-current carrying parts of AC electrical equipment to the AC grounding bus, engine negative terminal, or its bus, and to the source ground.

***NOTE: The source may be the shore AC power, an inverter, an isolation transformer or a generator.***

Battery cold cranking performance rating (0°F) - The discharge load in amperes that a battery at 17.8°C (0°F) can deliver for 30 seconds, and maintain a voltage of 1.2 volts per cell or higher, e.g., 7.2 volts for a 12 volt battery.

Battery reserve capacity - The number of minutes a new fully charged battery at 26.7°C (80°F) can be continuously discharged at 25 amperes, and maintain a voltage of 1.75 volts or higher per cell, e.g., 10.5 volts for a 12 volt battery.

DC grounded conductor - A current carrying conductor connected to the side of the power source

**Definitions - Continued**

that is intentionally maintained at boat ground potential.

DC grounding conductor - A normally non-current carrying conductor used to connect metallic non-current carrying parts of direct current devices to the engine negative terminal, or its bus, for the purpose of minimizing stray current corrosion.

Double insulation system - An insulation system comprised of basic insulation and supplementary insulation, with the two insulations physically separated and so arranged that they are not simultaneously subjected to the same deteriorating influences, e.g., temperature, contaminants, and the like, to the same degree.

Engine negative terminal - The point on the engine at which the negative battery cable is connected.

Equipment housing - The outside shell of equipment supplied by the manufacturer of the device, or a box, shell, or enclosure provided by the equipment installer. This shell provides personnel protection from electrical hazards, burns, rotating machinery, sharp edges, and provides protection to the device from mechanical damage or weather.

Galvanic isolator - A device installed in series with the (AC) grounding (green) conductor of the shore power cable to effectively block low voltage (DC) galvanic current, but permit the passage of alternating current (AC) normally associated with the (AC) grounding (green) conductor.

Ground - Ground applies to the potential of the earth's surface. The boat's ground is established by a conducting connection (intentional or accidental) with the earth, including any conductive part of the wetted surface of a hull.

Ground fault circuit interrupter (GFCI) - A device intended for the protection of personnel that functions to de-energize a circuit, or portion thereof, within an established period of time when a current to ground exceeds some predetermined value that is less than that required to operate the overcurrent protective device of the supply circuit.

Ground fault protector (GFP) - A device intended to protect equipment by interrupting the electric current to the load when a fault current to ground exceeds some predetermined value that is less than that required to operate the overcurrent protection device of that supply circuit.

Ignition protection - The design and construction of a device such that under design operating conditions:

- a. it will not ignite a flammable hydrocarbon mixture surrounding the device when an ignition source causes an internal explosion, or
- b. it is incapable of releasing sufficient electrical or thermal energy to ignite a hydrocarbon mixture, or
- c. the source of ignition is hermetically sealed.

**NOTES:** 1. *A flammable hydrocarbon mixture is a mixture of gasoline and air, CNG and air, or propane (LPG) and air between the lower explosive limit (LEL) and upper explosive limit (UEL).*

2. *It is not intended to require such devices to be "explosion proof" as that term is defined in the National Electrical Code of the NFPA pertaining to shore systems.*

3. *It is intended that the protection provided be generally equivalent to that of wiring permitted by this standard wherein a definite short or break would be necessary to produce an open spark.*

4. *Devices that are "explosion proof" are considered to be ignition protected when installed with the appropriate fittings to maintain their "explosion proof" integrity.*

5. *It is not intended to require such devices to be "intrinsically safe" per Article 504 of the National Electrical Code of the NFPA.*

6. *Devices that are "intrinsically safe" are considered to be ignition protected.*

7. *Test standards to determine ignition protection include SAE J1171, External Ignition Protection of Marine Electrical Devices, and UL 1500, Ignition Protection Test For Marine Products, and the electrical system requirements for boats in Title 33 CFR 183.410(a).*

Overcurrent protection device - A device, such as a fuse or circuit breaker, designed to interrupt the circuit when the current flow exceeds a predetermined value.

Panelboard - An assembly of devices for the purpose of controlling and/or distributing power on a boat. It includes devices such as circuit breakers, fuses, switches, instruments, and indicators.

Pigtails - External conductors that originate within an electrical component or appliance installed by their manufacturer.

Polarized system AC- A system in which the grounded and ungrounded conductors are connected in the same relation to terminals or leads on devices in the circuit.

Polarized system DC- A system in which the grounded (negative) and ungrounded (positive) conductors are connected in the same relation to terminals or leads on devices in the circuit.

## Definitions - Continued

Readily accessible - Capable of being reached quickly and safely for effective use under emergency conditions without the use of tools.

Self-limiting - A device whose maximum output is restricted to a specified value by its magnetic and electrical characteristics.

Sheath - A material used as a continuous protective covering, such as overlapping electrical tape, woven sleeving, molded rubber, molded plastic, loom, or flexible tubing, around one or more insulated conductors.

Shore power inlet - The fitting designed for mounting on the boat, of a reverse service type, requiring a female connector on the shore power cable in order to make the electrical connection.

Switchboard - An assembly of devices for the purpose of controlling and/or distributing power on a boat. It may include devices such as circuit breakers, fuses, switches, instruments, and indicators. They are generally accessible from the rear as well as from the front, and are not intended to be installed in cabinets.

Transformer, isolation - A transformer meeting the requirements of E-11.9.1 installed in the shore power supply circuit on a boat to electrically isolate all AC system conductors, including the AC grounding conductor (green) on the boat, from the AC system conductors of the shore power supply.

Transformer, polarization - An isolated winding transformer, i.e., a "dry type," encapsulated lighting transformer, installed in the shore power supply circuit on the boat to electrically isolate the normally current carrying AC system conductors, but not the AC grounding conductor (green), from the normally current carrying conductors of the shore power supply.

**NOTE: Electrostatic shields that are available on some lighting transformers generally do not meet the fault current ampacity requirements of E- 11.9.1.3**

Trip free circuit breaker - A resettable overcurrent protection device; designed so that the means of resetting cannot over ride the current interrupting mechanism.

Watertight - So constructed that water will not enter the enclosure under the test conditions specified in NEMA Standard 250, Type 6P.

Weatherproof - Constructed or protected so that exposure to the weather will not interfere with successful operation.

**NOTE: For the purpose of this standard, as applied to marine use, weatherproof implies resistance to rain, spray, and splash.**

## 11.5. REQUIREMENTS

### 11.5.1. IN GENERAL

#### 11.5.1.1. AMBIENT TEMPERATURE

The ambient temperature of machinery spaces is considered to be 50°C (122°F) and of all other spaces is considered to be 30°C (86°F). The ambient temperature for rating of shore power cables shall be 30°C (86°F).

#### 11.5.1.2. MARKING

11.5.1.2.1. Marking of Controls - All switches and electrical controls shall be marked to indicate their usage.

**EXCEPTION: A switch or electrical control whose purpose is obvious and whose mistaken operation will not cause a hazardous condition.**

11.5.1.2.2. Marking of Equipment - Electrical equipment, except a part of an identified assembly, such as an engine, shall be marked or identified by the manufacturer to indicate:

11.5.1.2.2.1. manufacturer's identification,

11.5.1.2.2.2. product identification or model number,

11.5.1.2.2.3. AC electrical rating in volts and amperes or volts and watts, OR

11.5.1.2.2.4. DC electrical rating in volts as appropriate.

11.5.1.2.2.5. Rated amperage or wattage of DC electrical equipment shall be available.

**NOTE: Rated amperage or wattage of DC electrical equipment may be marked on the device. (See E-11.5.1.2.2.5)**

11.5.1.2.2.6. The terminal polarity or identification, if necessary to operation

11.5.1.2.2.7. Phase and frequency, if applicable, and

11.5.1.2.2.8. "Ignition Protected," if applicable. This shall be identified by a marking such as "SAE J1171 Marine," "UL Marine-Ignition Protected," or "Ignition Protected."

11.5.1.3. IGNITION PROTECTION

11.5.1.3.1. Potential electrical sources of ignition located in spaces containing gasoline powered machinery, or gasoline fuel tank(s), or joint fitting(s), or other connection(s) between components of a gasoline system, shall be ignition protected, unless the component is isolated from a gasoline fuel source as described in E-11.5.1.3.3 (See Figure 1, Figure 2, Figure 3, Figure 4, Figure 5, Figure 6, Figure 7, and Figure 8.)

**EXCEPTION: 1. Boats using diesel fuel as the only fuel source.**

**2. Outboard engines mounted externally or in compartments open to the atmosphere in accordance with the requirements of [ABYC H-2, Ventilation of Boats Using Gasoline](#).**

11.5.1.3.2. If LPG or CNG is provided on the boat, all electrical potential sources of ignition located in compartments containing LPG/CNG appliances, cylinders, fittings, valves or regulators shall be ignition protected.

**EXCEPTION: For boats with LPG/CNG systems installed in accordance with [ABYC A-1, Marine Liquefied Petroleum Gas \(LPG\) Systems](#), or [ABYC A-22, Marine Compressed Natural Gas \(CNG\) Systems](#), and stoves that comply with [ABYC A-3, Galley Stoves](#), electrical devices in the following compartments are excepted:**

**1. Accommodation spaces**

**2. Open compartments having at least 15 square inches (968 mm<sup>2</sup>) of open area per cubic foot (0.03 m<sup>3</sup>) of net compartment volume exposed to the atmosphere outside of the craft.**

11.5.1.3.3. An electrical component is isolated from a gasoline fuel source if

11.5.1.3.3.1. a bulkhead that meets the requirements of E-11.5.1.3.4 (Figure 7 and Figure 8) is between the electrical components and the gasoline fuel source; or

11.5.1.3.3.2. the electrical component is

11.5.1.3.3.2.1. lower than the gasoline fuel source and a means is provided to prevent gasoline fuel and gasoline fuel vapors that may leak from the gasoline fuel sources from becoming exposed to the electrical component, or

11.5.1.3.3.2.2. higher than the gasoline fuel source and a deck or other enclosure is between it and the gasoline fuel source, or

11.5.1.3.3.2.3. the distance between the electrical component and the gasoline fuel source is at least two feet (610mm), and the space is open to the atmosphere. (See Figure 6.)

11.5.1.3.4. Each bulkhead required by E-11.5.1.3.3.1 shall (see Figure 7 and Figure 8.)

11.5.1.3.4.1. separate the electrical component from the fuel source, and extend both vertically and horizontally the distance of the open space between the gasoline fuel source and the ignition source, and

11.5.1.3.4.2. resist a water level that is 12 inches (305 mm) high or one-third of the maximum height of the bulkhead, whichever is less, without seepage of more than one-quarter fluid ounce (7.5 cc) of fresh water per hour; and

11.5.1.3.4.3. shall have no opening higher than 12 inches (305 mm) or one-third the maximum height of the bulkhead, whichever is less, unless the opening is used for the passage of conductors, piping, ventilation ducts, mechanical equipment, and similar items, or doors, hatches and access panels, and the maximum annular space around each item or door, hatch, or access panel must not be more than one-quarter inch (6mm)

11.5.1.3.5. To minimize the potential for migration of carbon monoxide from machinery compartments containing gasoline engines to adjacent accommodation compartments, bulkhead and deck penetrations shall be in accordance with the requirements of [ABYC H-2, Ventilation of Boats Using Gasoline](#).

**NOTE: For additional information (See [ABYC TH-22, Educational Information About Carbon Monoxide](#), and [ABYC TH-23, Design, Construction, and Testing of Boats in Consideration of Carbon Monoxide](#).)**

11.5.2. REQUIREMENTS FOR DC SYSTEMS

11.5.2.1. Two-Wire System - All direct current (DC) electrical distribution systems shall be of the two-wire type. (See Figures 9A and 9 B, and Figures 10 A and 10 B.)

**EXCEPTION: Engine mounted equipment.**

11.5.2.2. DC Grounding Systems and Bonding - A metallic hull, or the bonding and DC grounding systems, shall not be used as a return conductor. (See Figures 9A and 9 B, and Figures 10 A and 10 B, and E-11.18 DC Grounding and Bonding.)

11.5.2.3. Grounded Systems - If one side of a two-wire direct current system is connected to ground,

**Requirements – DC - Continued**

it shall be the negative side and polarized as defined in E-11.4.

11.5.2.4. Multiple Engine Installation - If a boat has more than one engine with a grounded cranking motor, which includes auxiliary generator engine(s), the engines shall be connected to each other by a common conductor that can carry the cranking motor current of each of the grounded cranking motor circuits. Outboard engines shall be connected at the battery negative terminals.

11.5.2.5. Crossover (Parallel) Cranking Motor Circuits - In multiple inboard engine installations, which includes auxiliary generator(s) with cross-over (parallel) cranking motor systems, the engines shall be connected together with a cable large enough to carry the cranking motor current. This cable and its terminations shall be in addition to, and independent of, any other electrical connections to the engines including those required in E-11.5.2.4.

**EXCEPTIONS:** *1. Installations using ungrounded DC electrical systems.*

**2. Outboard engines.**

11.5.2.6. If a paralleling switch is installed, it shall be capable of carrying the largest cranking motor current.

**NOTE:** *A paralleling switch may be either of the maintained contact or momentary contact type.*

11.5.2.7. DC System Negative Connections

11.5.2.7.1. If an alternating current (AC) system is installed, the main AC system grounding bus shall be connected to

11.5.2.7.1.1. the engine negative terminal or the DC main negative bus on grounded DC systems, or

11.5.2.7.1.2. the boat's DC grounding bus in installations using ungrounded DC electrical systems. (See FIGURE 18)

11.5.2.7.2. The negative terminal of the battery, and the negative side of the DC system, shall be connected to the engine negative terminal or its bus. On boats with outboard motors, the load return lines shall be connected to the battery negative terminal or its bus, unless specific provision is made by the outboard motor manufacturer for connection to the engine negative terminal.

11.5.2.7.3. If an accessory negative bus with provision for additional circuits is used for the connection of accessories, the ampacity of this bus, and the conductor connected to the engine negative

terminal or the DC main negative bus, shall be at least equal to the ampacity of the feeder(s) to the panelboard(s) supplying the connected accessories. (See Figures 9A and 9 B, and Figures 10 A and 10 B.)

11.5.2.7.4. If the negative side of the DC system is to be connected to ground, the connection shall be made only from the engine negative terminal, or its bus, to the DC grounding bus. This connection shall be used only as a means of maintaining the negative side of the circuit at ground potential and is not to carry current under normal operating conditions.

11.5.2.7.5. Continuously energized parts, such as positive battery terminals and both ends of all wire connected thereto, shall be physically protected with boots, or other form of protection, that cover all energized surfaces to prevent accidental short circuits.

**EXCEPTION:** *Circuits that have overcurrent protection at the source of power in accordance with E-11.12.*

11.5.3. FOR AC SYSTEMS

11.5.3.1. The system shall be polarized as defined in E- 11.4

11.5.3.2. A grounded neutral system is required. The neutral for AC power sources shall be grounded only at the following points:

11.5.3.2.1. The shore power neutral is grounded through the shore power cable and shall not be grounded on board the boat.

11.5.3.2.2. The secondary neutral of an isolation transformer or polarization transformer shall be grounded at the secondary of an isolation or polarization transformer. (See DIAGRAM 5 , DIAGRAM 6, DIAGRAM 7, DIAGRAM 8, DIAGRAM 9, DIAGRAM 10, DIAGRAM 11, DIAGRAM 12, and DIAGRAM 13 . See *Exception.*)

11.5.3.2.3. The generator neutral shall be grounded at the generator. (See DIAGRAM 2 or DIAGRAM 4.)

11.5.3.2.4. The inverter output neutral shall be grounded at the inverter. The inverter output neutral shall be disconnected from ground when the inverter is operating in the charger or the feed-through mode(s). (See [ABYC A-25, Power Inverters.](#))

**EXCEPTION:** *Exception to E-11.5.3.2.2., E-11.5.3.2.3 and E-11.5.3.2.4: For systems using an isolation transformer or polarization transformer, both the generator or inverter neutral and the transformer secondary neutrals may be grounded at the AC main grounding bus instead of at the generator, inverter, or transformer secondaries. (See DIAGRAM 5 .)*

**Requirements - AC - Continued**

11.5.3.3. The main AC system grounding bus shall be connected to

11.5.3.3.1. the engine negative terminal or the DC main negative bus on grounded DC systems, or

11.5.3.3.2. the boat's DC grounding bus in installations using ungrounded DC electrical systems.

11.5.3.4. In AC circuit, all current carrying conductors and the grounding conductor shall be run together in the same cable, bundle or raceway.

11.5.3.5. There shall be no switch or overcurrent protection device in the AC grounding (green) conductor.

11.5.3.6. When more than one shore power inlet is used, the shore power neutrals shall not be connected together on board the boat.

11.5.3.7. Individual circuits shall not be capable of being energized by more than one source of electrical power at a time. Each shore power inlet, generator, or inverter is a separate source of electrical power.

11.5.3.7.1. The transfer from one power source circuit to another shall be made by a means that opens all current-carrying conductors, including neutrals, before closing the alternate source circuit, and prevents arc-over between sources.

11.5.3.7.2. A means for disconnecting all power sources from the load shall be provided at the same location.

**EXCEPTION:** *Exception to E-11.5.3.7 and its subsections: The grounded neutral from a polarization transformer, isolation transformer, generator or inverter may be permanently connected to the same main AC grounding bus (See E-11.7.2.2, DIAGRAM 5) and is not required to be switched.*

11.5.3.8. Energized parts of electrical equipment shall be guarded against accidental contact by the use of enclosures or other protective means that shall not be used for non-electrical equipment.

11.5.3.8.1. Access to energized parts of the electrical system shall require the use of hand tools.

**11.6. SYSTEM VOLTAGE**

**11.6.1. FOR AC SYSTEMS**

11.6.1.1. Nominal system voltages for AC electrical systems shall be selected from the following:

11.6.1.1.1. 120 volts AC, single phase;

11.6.1.1.2. 240 volts AC, single phase;

11.6.1.1.3. 120/240 volts AC, single phase;

11.6.1.1.4. 120/240 volts AC, delta three phase; or

11.6.1.1.5. 120/208 volts AC, Wye three phase.

**11.7. POWER SOURCE**

**11.7.1. FOR DC SYSTEMS**

**11.7.1.1. BATTERY**

**11.7.1.1.1. BATTERY CAPACITY**

11.7.1.1.1.1. The battery, or battery bank, shall have at least the cold cranking amperage required by the engine manufacturer.

11.7.1.1.1.2. The battery, or battery bank, shall have a rated reserve capacity so that,

11.7.1.1.1.2.1. for boats with one battery charging source the battery shall be capable of supplying the total load of Column A in TABLE II for a minimum of 1 1/2 hours; or

11.7.1.1.1.2.2. for boats with multiple simultaneous battery charging sources, the capacity of all charging sources, except the largest charging source shall be subtracted from the total load of Column A. The battery shall be capable of supplying the resulting differences for a minimum of 1 1/2 hours.

11.7.1.1.2. Use TABLE I for reserve capacity values, or the following formula derived from Peukert's equation to calculate the required reserve capacity:

$$T = 0.0292 \times I^{1.225} \times 60$$

T = battery reserve capacity in minutes

I = total current of column A in amperes per E-11.10.1.1



**Power Source – DC - Continued**

TABLE I - RESERVE CAPACITY OF BATTERIES DERIVED FROM PEUKERT'S EQUATION

Amperes	Reserve Capacity Minutes
5	13
10	29
15	48
20	69
25	90
30	113
35	136
40	160
45	185
55	211
55	237
60	264
65	291
70	318
75	347
80	375
85	404
90	433
95	463
100	493
105	523
110	554

**NOTE:** The values in Table I are calculated using Peukert's equation.

11.7.1.2. BATTERY SWITCH

11.7.1.2.1. A battery switch shall be installed in the positive conductor(s) from each battery or battery bank with a CCA rating greater than 800 amperes.

**EXCEPTIONS:** 1. *Trolling motor conductors connected to dedicated trolling motor batteries provided with overcurrent protection at the battery and a manual means of electrical disconnect separate from the trolling motor controls.*

2. *Conductors supplying the following may be connected to the battery side of the switch (See FIGURE 11):*

*a. Electronic equipment with continuously powered memory;*

*b. Safety equipment such as bilge pumps, alarms, CO detectors and bilge blowers;*

*c. Battery charging equipment.*

11.7.1.2.2. A battery switch shall be mounted in a readily accessible location as close as practicable to the battery.

11.7.1.2.3. Battery Switch Ratings - The intermittent rating of a battery switch shall not be less than the maximum cranking current of the largest engine cranking motor that it serves. The minimum continuous rating of a battery switch shall be the total of the ampacities of the main overcurrent protection devices connected to the battery switch, or the ampacity of the feeder cable to the switch, whichever is less.

11.7.2. FOR AC SYSTEMS

11.7.2.1. SHORE POWER

11.7.2.1.1. SHORE POWER SUPPLY

11.7.2.1.1.1. Power Inlet - The receptacle, or receptacles, installed to receive a connecting cable to carry AC shore power aboard shall be a male type connector.

11.7.2.1.1.1.1. Power inlets installed in locations subject to rain, spray, or splash shall be weatherproof whether or not in use.

11.7.2.1.1.1.2. Power inlets installed in areas subject to flooding or momentary submersion shall be of a watertight design whether or not in use.

11.7.2.1.1.1.3. Metallic power inlets installed on metallic or carbon fiber reinforced boats using an isolation transformer or a galvanic isolator shall be insulated from metallic structure and components. On non-metallic boats using an isolation transformer or a galvanic isolator the power inlet shall be insulated from metallic components connected to the boat's ground.

11.7.2.1.1.2. Shore Power Cable – On each boat equipped with an AC shore power system, a shore power cable that contains the conductors for the power circuit and a grounding (green) conductor shall be provided.

11.7.2.1.1.2.1. Except where the shore power cable is permanently connected to the boat, the boat end of this cable shall be terminated with a locking and grounding female type connector to match the boat power inlet. (See FIGURE 13 and FIGURE 14.)

11.7.2.1.1.2.2. The shore power cable shall be flexible cord with the minimum properties of Type SOW, STW, STOW, SEOW, or STOOW, and shall be suitable for outdoor use. The shore connection end of this cable shall be fitted with a locking and grounding type plug with the required number of poles and shall comply with Article 555 of the National Electrical

**Power Source – AC – Continued**

Code. (See FIGURE 13 or FIGURE 14 and Table VIII A)

11.7.2.1.1.3. Shore Power Inlet Warning

11.7.2.1.1.3.1. Labels and warnings shall comply with [ABYC T-5, Safety Signs and Labels](#).

11.7.2.1.1.3.2. Labels shall include the following informational elements:

11.7.2.1.1.3.2.1. the signal word for the level of hazard intensity;

11.7.2.1.1.3.2.2. nature of the hazard;

11.7.2.1.1.3.2.3. consequences that can result if the instructions to avoid the hazard are not followed; and

11.7.2.1.1.3.2.4. instructions on how to avoid the hazard.

11.7.2.1.1.3.3. A permanently mounted waterproof warning sign shall be located at each shore power inlet location on the boat.

**NOTE:** An example of such a label follows:



**WARNING**

Electrical shock and fire hazard.  
Failure to follow these instructions may result in injury or death.

(1) Turn off the boat's shore power connection switch before connecting or disconnecting the shore power cable.

(2) Connect shore power cable at the boat first.

(3) If polarity-warning indicator is activated, immediately disconnect cable.

(4) Disconnect shore power cable at shore outlet first.

(5) Close shore power inlet cover tightly.

**DO NOT ALTER SHORE POWER CABLE CONNECTORS**

**EXCEPTIONS:** 1. Item 3 is not required if a polarity indicator is not installed. (See E-11.8.)

2. Items 2 and 4 are not required for permanently connected shore power cables.

**Power Source – AC – Continued**

**11.7.2.2. APPLICATION OF TYPES OF SHORE POWER CIRCUITS**

11.7.2.2.1. Single Phase 120-Volt Systems with Shore-Grounded (White) Neutral Conductor and Grounding (Green) Conductor. (See DIAGRAM 1, DIAGRAM 2, and DIAGRAM 3.)

11.7.2.2.1.1. The shore grounded (white) and ungrounded shore current carrying conductors are connected from the shore power inlet to the boat's AC electrical system through an overcurrent protection device that simultaneously opens both current-carrying conductors. Fuses shall not be used instead of simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.2.1.2. Neither the shore grounded (white) neutral conductor nor the ungrounded current carrying conductors shall be grounded on the boat. (See E-11.5.3.2.1.)

11.7.2.2.1.3. When more than one shore power inlet is used, the shore power neutrals shall not be connected together on the boat. (See E-11.5.3.6.)

11.7.2.2.1.4. The shore-grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.3.5.), from the shore power inlet to

11.7.2.2.1.4.1. an optional galvanic isolator, and then to

11.7.2.2.1.4.2. all non-current carrying parts of the boat's AC electrical system, including

11.7.2.2.1.4.3. the engine negative terminal or its bus.


11.7.2.2.1.5. If an optional galvanic isolator is used, the shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.2.1.6. If the boat's AC electrical system includes branch circuit breakers, the branch circuit breakers shall simultaneously open both current carrying conductors unless a polarity indicating device is provided. (See E-11.12.2.6.1 *Exception*.)

11.7.2.2.1.7. Polarization of conductors must be observed in all circuits (see DIAGRAM 1, DIAGRAM 2, and DIAGRAM 3)

DIAGRAM 1 – (See E-11.7.2.2.1.)

*Note: this diagram does not illustrate a complete system. Refer to the appropriate text*



Power Source – Application of Type of Shore Power Circuits - Continued

DIAGRAM 2 – (See E-11.7.2.2.1.)

Note: This diagram does not illustrate a complete system. Refer to appropriate text.





DIAGRAM 3 – (See E-11.7.2.2.1.)

Note: This diagram does not illustrate a complete system. Refer to appropriate text.



**Power Source - Application of Type of Shore Power Circuits - Continued**

11.7.2.2.2. Single Phase 120/240 Volt System With Shore Grounded (White) Neutral Conductor And Grounding (Green) Conductor. (See *DIAGRAM 4*.)

11.7.2.2.2.1. Each ungrounded shore conductor is connected from the shore power inlet to the boat's AC electrical system through an overcurrent protection device that simultaneously opens both ungrounded current carrying conductors. Fuses shall not be used instead of the simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.2.2.2. The shore grounded (white) neutral conductor from the shore power inlet is connected to the neutral conductors in the boat's AC electrical system without overcurrent protection devices. (See E-11.5.3.2.)

**EXCEPTION:** An overcurrent protection device may be used in the shore grounded neutral conductor provided the overcurrent protection device simultaneously opens all current carrying conductors in the circuits.

11.7.2.2.3. The generator or inverter neutral is grounded at the generator or inverter. (See E-11.5.3.2.3.)

11.7.2.2.4. Neither the shore grounded (white) neutral conductor nor ungrounded current carrying conductors shall be grounded on the boat. (See E-11.5.3.2.1.)

**DIAGRAM 4** – (See E-11.7.2.2.2)

11.7.2.2.5. When more than one shore power inlet is used, the shore power neutrals shall not be connected together on the boat. (See E-11.5.3.6.)

11.7.2.2.6. The shore-grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from the shore power inlet to

11.7.2.2.6.1. an optional galvanic isolator, and then to

11.7.2.2.6.2. all non-current carrying parts of the boat's AC electrical system, including

11.7.2.2.6.3. the engine negative terminal or its bus.


11.7.2.2.6.4. If an optional galvanic isolator is used the shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.2.7. 120-volt branch circuit breakers are permitted to be single pole in the ungrounded current carrying conductors. (See E-11.12.2.6.1 **Exception**.)

11.7.2.2.8. 240-volt branch circuit breakers shall simultaneously open all current carrying conductors. (See E-11.12.2.6.2.)

11.7.2.2.9. Polarization of conductors must be observed in all circuits. (See *DIAGRAM 4*.)

**Note:** This diagram does not illustrate a complete system. Refer to appropriate text



**E-11**  
**7/03**

**Power source – Application of type of shore power circuits - Continued**

11.7.2.3. Polarization Transformer System with A Single Phase 240 Volt Input and a 120/240-Volt Output, And Generator Illustrating the Use Of Main AC Grounding Bus. (See DIAGRAM 5 .)

11.7.2.3.1. Each ungrounded shore current carrying conductor is connected from the shore power inlet to the primary winding of the polarization transformer through an overcurrent protection device that simultaneously opens both ungrounded current carrying shore conductors. Fuses shall not be used in lieu of the simultaneous trip devices. See E-11.12.2.9.2.

11.7.2.3.2. The shore grounded (white) terminal of the shore power inlet is not connected on the boat.

11.7.2.3.3. The shore grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from the shore power inlet to

11.7.2.3.3.1. an optional galvanic isolator, and then to

11.7.2.3.3.2. the transformer grounded secondary terminal, and

11.7.2.3.3.3. the transformer metal case, and

11.7.2.3.3.4. to all non-current carrying parts of the boat’s AC electrical system, including

11.7.2.3.3.5. the engine negative terminal or its bus.

11.7.2.3.4. If an optional galvanic isolator is used the shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.3.5. The secondary of the polarization transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 *Exception.*)


11.7.2.3.6. 120-volt branch circuit breakers are permitted to be single pole breakers in the ungrounded current carrying conductors. (See E-11.12.2.6.1 *Exception.*)

11.7.2.3.7. 240-volt branch circuit breakers shall simultaneously open all current carrying conductors. (See E-11.12.2.6.2.)

11.7.2.3.8. Polarization of conductors must be observed in all circuits. (See DIAGRAM 5 .)

DIAGRAM 5 – (See E-11.7.2.3.)

*Note: This diagram does not illustrate a complete system. Refer to appropriate text*



**Power source – Application of type of shore power circuits - Continued**

11.7.2.4. Isolation Transformer System with Single Phase 120 Volt Input, 120-Volt Output with Boat Grounded Secondary. Transformer Shield and Metal Case Grounded on the Shore. (See DIAGRAM 6.)

11.7.2.4.1. The shore grounded (white) and ungrounded shore current carrying conductors are connected from the shore power inlet to the primary winding of the isolation transformer through an overcurrent protection device that simultaneously opens both current-carrying shore conductors. Fuses shall not be used instead of the simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.4.2. The shore grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from the shore power inlet to

11.7.2.4.2.1. the transformer metal case, and

11.7.2.4.2.2. the transformer shield.

11.7.2.4.3. The shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.4.4. The transformer case is protected by a ventilated nonconductive enclosure.

11.7.2.4.5. The secondary of the isolation transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 *Exception.*)

11.7.2.4.6. The boat grounding system (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from

11.7.2.4.6.1. the transformer grounded secondary terminal, and

11.7.2.4.6.2. to all non-current-carrying parts of the boat's AC electrical system, including


11.7.2.4.6.3. the engine negative terminal or its bus.

11.7.2.4.7. 120 -volt branch circuit breakers are permitted to be single pole breakers in the ungrounded current-carrying conductors. (See E-11.12.2.6.1 *Exception.*)

11.7.2.4.8. Polarization of conductors must be observed in all circuits. (See DIAGRAM 6.)

DIAGRAM 6 – (See E-11.7.2.4.)

*Note: This diagram does not illustrate a complete system. Refer to appropriate text*



**Power source – Application of type of shore power circuits - Continued**

11.7.2.5. Isolation Transformer System with a Single Phase 120-Volt Input, 120-Volt Output with Boat Grounded Secondary. Transformer Shield Grounded On the Shore. Transformer Metal Case Grounded on the Boat. (See DIAGRAM 7.)

11.7.2.5.1. The shore grounded (white) and ungrounded shore current carrying conductors are connected from the shore power inlet to the primary winding of the isolation transformer through an overcurrent protection device that simultaneously opens both current carrying shore conductors. Fuses shall not be used instead of the simultaneous trip devices. (See E- 11.12.2.9.2.)

11.7.2.5.2. The shore grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.3.4), from the shore power inlet to

11.7.2.5.2.1. the isolation transformer shield.

11.7.2.5.3. The shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.5.4. The secondary of the isolation transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 *Exception*.)

11.7.2.5.5. The boat grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.3.4), from

11.7.2.5.5.1. the transformer grounded secondary terminal,

11.7.2.5.5.2. the transformer metal case , and

11.7.2.5.5.3. to all non-current-carrying parts of the boat's AC electrical system, including


11.7.2.5.5.4. the engine negative terminal or its bus.

11.7.2.5.5.5. 120-volt branch circuit breakers are permitted to be single pole breakers in the ungrounded current carrying conductors. (See E-11.12.2.6.1 *Exception*.)

11.7.2.5.5.6. Polarization of conductors must be observed in all circuits. (See E-11.5.3.1.)

DIAGRAM 7 – (See E-11.7.2.5.)

*Note: This diagram does not illustrate a complete system. Refer to appropriate text*





**Power source – Application of type of shore power circuits – Continued**

11.7.2.6. Isolation Transformer System with a Single Phase 120-Volt Output with Ground Fault Protection and Boat Grounded Secondary. Transformer Shield and Metal Case Grounded on the Boat. (See DIAGRAM 8.)

11.7.2.6.1. The shore grounded (white) and ungrounded shore current carrying conductors are connected from the shore power inlet to the primary winding of the isolation transformer through a ground fault protection device (See E-11.13) that simultaneously opens both current carrying shore conductors. Fuses shall not be used instead of the simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.6.2. The shore grounding (green) terminal of the shore power inlet is not connected on the boat.

11.7.2.6.3. The shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.6.4. The secondary of the isolation transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 *Exception.*)

11.7.2.6.5. The boat grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from

11.7.2.6.5.1. the transformer grounded secondary terminal,

11.7.2.6.5.2. the transformer metal case,

11.7.2.6.5.3. the transformer shield, and

11.7.2.6.5.4. to all non-current-carrying parts of the boat's AC electrical system, including


11.7.2.6.5.5. the engine negative terminal or its bus.

11.7.2.6.5.6. 120-volt branch circuit breakers are permitted to be single-pole breakers in the ungrounded current-carrying conductors. (See E-11.12.2.6.1 *Exception.*)

11.7.2.6.5.7. Polarization of conductors must be observed in all circuits. (See DIAGRAM 8.)

DIAGRAM 8 – (See E-11.7.2.6.)

*Note: This diagram does not illustrate a complete System. Refer to appropriate text.*



**E-11**  
**7/03**

**Power source – Application of type of shore power circuits - Continued**

11.7.2.7. Isolation Transformer System with Single Phase 240 Volt Input, 120/240-Volt Output with a Boat Grounded Secondary. Transformer Shield and Metal Case Grounded on the Shore. (See DIAGRAM 9.)

11.7.2.7.1. Each ungrounded shore current carrying conductor is connected from the shore power inlet to the primary winding of the isolation transformer through an overcurrent protection device that simultaneously opens both current-carrying shore conductors. Fuses shall not be used instead of the simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.7.2. The shore grounded (white) terminal of the shore power inlet is not connected on the boat.

11.7.2.7.3. The shore grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.3.4), from the shore power inlet to

11.7.2.7.3.1. the transformer metal case and

11.7.2.7.3.2. the transformer shield.

11.7.2.7.4. The shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.7.5. The transformer case is protected by a ventilated non-conductive enclosure.

11.7.2.7.6. The secondary of the isolation transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 *Exception*.)

11.7.2.7.7. The boat-grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5.), from

11.7.2.7.7.1. the transformer grounded secondary terminal, and

11.7.2.7.7.2. to all non-current carrying parts of the boat's AC electrical system, including

11.7.2.7.7.3. the engine negative terminal or its bus.


11.7.2.7.8. 120-volt branch circuit breakers are permitted to be single pole breakers in the ungrounded current carrying conductors. (See E-11.12.2.6.1 *Exception*.)

11.7.2.7.9. 240-volt branch circuit breakers shall simultaneously open all current-carrying conductors. (See E-11.12.2.6.2.)

11.7.2.7.10. Polarization of conductors must be observed in all circuits. (See DIAGRAM 9.)

DIAGRAM 9 – (See E-11.7.2.7.)

*Note: This diagram does not illustrate a complete system. Refer to appropriate text*



**Power source – Application of type of shore power circuits - Continued**

11.7.2.8. Isolation Transformer System with Single Phase 240 Volt Input, 120/240-Volt Output with Boat Grounded Secondary. Transformer Shield Grounded on the Shore. Transformer Metal Case Grounded on the Boat. (See DIAGRAM 10.)

11.7.2.8.1. Each ungrounded shore current carrying conductor is connected to the primary winding of the isolation transformer through an overcurrent protection device that simultaneously opens both current carrying shore conductors. Fuses shall not be used instead of simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.8.2. The shore grounded (white) terminal of the shore power inlet is not connected on the boat.

11.7.2.8.3. The shore grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from the shore power inlet to the transformer shield.

11.7.2.8.4. The shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.8.5. The secondary of the isolation transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 *Exception*.)

11.7.2.8.6. The boat grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.3.4), from

11.7.2.8.6.1. the transformer grounded secondary terminal,

11.7.2.8.6.2. the transformer metal case, and

11.7.2.8.6.3. to all non-current carrying parts of the boat's AC electrical system, including

11.7.2.8.6.4. the engine negative terminal or its bus.


11.7.2.8.7. 120-volt branch circuit breakers are permitted to be single pole breakers in the ungrounded current-carrying conductors. (See E-11.12.2.6.1 *Exception*.)

11.7.2.8.8. 240-volt branch circuit breakers shall simultaneously open all current-carrying conductors. (See E-11.12.2.6.2.)

11.7.2.8.9. Polarization of conductors must be observed in all circuits. (See DIAGRAM 10.)

DIAGRAM 10 – (See E-11.7.2.8.)

*Note: This diagram does not illustrate a complete system. Refer to appropriate text.*



**Power source – Application of type of shore power circuits - Continued**

11.7.2.9. Isolation Transformer System with Single-Phase 240-Volt Input, 120/240-Volt Output With Ground Fault Protection and Boat Grounded Secondary. Transformer Shield and Metal Case Grounded on the Boat. (See DIAGRAM 11.)

11.7.2.9.1. Each ungrounded shore current carrying conductor is connected from the shore power inlet to the primary winding of the isolation transformer through a ground device that simultaneously opens both current-carrying shore conductors. Fuses shall not be used instead of simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.9.2. The shore grounded (white) terminal of the shore power inlet is not connected on the boat.

11.7.2.9.3. The shore grounding (green) terminal of the shore power inlet is not connected on the boat.

11.7.2.9.4. The shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.9.5. The secondary of the isolation transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 *Exception.*)

11.7.2.9.6. The boat grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from

11.7.2.9.6.1. the transformer grounded secondary terminal,

11.7.2.9.6.2. the transformer metal case,

11.7.2.9.6.3. the transformer shield and

11.7.2.9.6.4. to all non-current carrying parts of the boat's AC electrical system, including

11.7.2.9.6.5. the engine negative terminal or its bus.


11.7.2.9.7. 120-volt branch circuit breakers are permitted to be single pole breakers in the ungrounded current carrying conductors. (See E-11.12.2.6.1 *Exception.*)

11.7.2.9.8. 240-volt branch circuit breakers shall simultaneously open all current carrying conductors. (See E-11.12.2.6.2.)

11.7.2.9.9. Polarization of conductors must be observed in all circuits. (See DIAGRAM 11.)

DIAGRAM 11 – (See E-11.7.2.9.)

*Note: This diagram does not illustrate a complete system. Refer to appropriate text.*



**Power source – Application of type of shore power circuits - Continued**

11.7.2.10. Polarization Transformer System with a Single Phase 120-Volt Input, 120-Volt Output and Shore Grounded Secondary. (See DIAGRAM 12.)

11.7.2.10.1. The shore grounded (white) and ungrounded shore current carrying conductors are connected from the shore power inlet to the primary winding of the polarization transformer through an overcurrent protection device that simultaneously opens both current carrying shore conductors. Fuses shall not be used instead of the simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.10.2. The shore grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from the shore power inlet to

11.7.2.10.2.1. an optional galvanic isolator, and then to

11.7.2.10.2.2. the transformer grounded secondary terminal,

11.7.2.10.2.3. the transformer metal case and

11.7.2.10.2.4. to all non-current carrying parts of the boat's AC electrical system, including

11.7.2.10.2.5. the engine negative terminal or its bus.

11.7.2.10.3. If an optional galvanic isolator is used the shell of a metallic shore power inlet shall be electrically insulated from the boat.


11.7.2.10.4. The secondary of the polarization transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 **Exception.**)

11.7.2.10.5. 120-volt branch circuit breakers are permitted to be single pole breakers in the ungrounded current carrying conductors. (See E-11.12.2.6.1 **Exception.**)

11.7.2.10.6. Polarization of conductors must be observed in all circuits.(See DIAGRAM 12.)

DIAGRAM 12 – (See E-11.7.2.10.)

*Note: This diagram does not illustrate a complete system. Refer to appropriate text.*



**Power source – Application of type of shore power circuits - Continued**

11.7.2.11. Polarization Transformer System with a Single-Phase 240-Volt Input, 120/240-Volt Output and Shore Grounded Secondary. (See DIAGRAM 13.)

11.7.2.11.1. Each ungrounded shore current carrying conductor is connected from the shore power inlet to the primary winding of the polarization transformer through an overcurrent protection device that simultaneously opens both current-carrying shore conductors. Fuses shall not be used instead of simultaneous trip devices. (See E-11.12.2.9.2.)

11.7.2.11.2. The shore grounding (green) conductor is connected, without interposing switches or overcurrent protection devices (See E-11.5.2.5), from the shore power inlet to

11.7.2.11.2.1. an optional galvanic isolator, and then to

11.7.2.11.2.2. the transformer grounded secondary terminal,

11.7.2.11.2.3. the transformer metal case and

11.7.2.11.2.4. to all non-current carrying parts of the boat's AC electrical system, including

11.7.2.11.2.5. the engine negative terminal or its bus.

11.7.2.11.3. If an optional galvanic isolator is used the shell of a metallic shore power inlet shall be electrically insulated from the boat.

11.7.2.11.4. The secondary of the polarization transformer is grounded (polarized) on the boat. (See E-11.5.3.2.2 and E-11.5.3.2.3 *Exception.*)

11.7.2.11.5. 120-volt branch circuit breakers are permitted to be single pole breakers in the ungrounded current carrying conductors. (See E-11.12.2.6.1 *Exception.*)


11.7.2.11.6. 240-volt branch circuit breakers shall simultaneously open all current carrying conductors. (See E-11.12.2.6.2.)

11.7.2.11.7. Polarization of conductors must be observed in all circuits.

11.7.2.11.8. The shore neutral shall not be connected.

DIAGRAM 13 (See E-11.7.2.11)

*Note: This diagram does not illustrate a complete system. Refer to appropriate text.*



### 11.7.3. AC GENERATOR

11.7.3.1. AC generators shall be connected to the electrical distribution system as required in E-11.5.3.7 (See E-11.7.2.2.1, DIAGRAM 3, DIAGRAM 4, and DIAGRAM 5.)

11.7.3.2. The power feeder conductor from the AC generator shall be sized to at least accommodate the generator's maximum rated output and shall be protected at the generator with overcurrent protection devices in accordance with E-11.12.2.1, E-11.12.2.2 and E-11.12.2.3. The rating of these overcurrent protection devices shall not exceed 120 percent of the generator rated output.

**EXCEPTION:** *Self limiting generators, whose maximum overload current does not exceed 120 percent of its rated current output, do not require additional external overcurrent protection.*

### 11.8. SHORE POWER POLARITY DEVICES

11.8.1. Reverse polarity indicating devices providing a continuous visible or audible signal shall be installed in 120 V AC shore power systems and must respond to the reversal of the ungrounded (black) and the grounded (white) conductors (See E-11.7.2.2.1, DIAGRAM 2.) if

11.8.1.1. the polarity of the system must be maintained for the proper operation of the electrical devices in the system, or

11.8.1.2. a branch circuit is provided with overcurrent protection in only the ungrounded current-carrying conductors per E-11.12.2.6.1 **Exception**.

**NOTES:** *1. Reverse polarity indicating devices respond to the reversal of an ungrounded conductor and the grounded (white) conductor only when there is continuity of the grounding (green) conductor to shore.*

*2. Reverse polarity indicating devices might not respond to reversals of an ungrounded conductor and the grounding (green) conductor, the grounded (white) conductor and the grounding (green) conductor, or three-phase conductors.*

11.8.2. Reverse polarity indicating devices are not required in systems employing polarization or isolation transformers that establish the polarity on the boat.

11.8.3. The total impedance of polarity indicating and protection devices connected between normal current carrying conductors (grounded [white] conductor and ungrounded [black] conductor) and the grounding conductor shall not be less than 25,000 ohms at 120 volts, 60 hertz at all times.

### 11.9. ISOLATION OF GALVANIC CURRENTS

**NOTE:** *Boats with aluminum or steel hulls or aluminum outdrives are subject to galvanic corrosion because the boat ground is electrically connected to the shore ground (via the grounding conductor). An isolation transformer system, or a galvanic isolator in the grounding conductor, may be used to reduce this problem. (See E-11.7.2.2.)*

11.9.1. If used, an isolation transformer shall be of the encapsulated type and shall meet the requirements of UL 1561, *Dry Type General Purpose and Power Transformers* and the following additional requirements: (See E-11.7.2.2, DIAGRAM 6, DIAGRAM 7, DIAGRAM 8, DIAGRAM 9, DIAGRAM 10, and DIAGRAM 11.)

11.9.1.1. A metallic shield shall be located between the primary and secondary winding and be electrically insulated from all other portions of the transformer. It shall be designed to withstand, without breakdown, a high potential test of 4000 volts AC, 60 Hz, for one minute, applied between the shield and all other components such as windings, core, and outside enclosure.

**NOTE:** *Breakdown is considered to have occurred when the current which flows as a result of the application of the test voltage rapidly increases in an uncontrolled manner.*

11.9.1.2. A separate insulated wire lead or terminal identified as the shield connection is to be solidly connected only to the shield, and brought out for external connection and shall be equal to or greater than the aggregate circular mil area of the largest transformer phase conductor(s).

11.9.1.3. The shield and its connection are to be of sufficient ampacity to provide a sustained fault current path for either the primary or secondary windings to ensure operation of the main shore power disconnect circuit breaker when subjected to a fault current level in accordance with TABLE V - B .

11.9.1.4. The transformer shall be tested and labeled by an independent laboratory to establish compliance with the requirements of E-11.9.1

11.9.1.5. The transformer case is to be metallic with a grounding terminal provided.

11.9.1.6. If used, a galvanic isolator shall meet the requirements of [ABYC A-28, Galvanic Isolators](#)

**E-11**  
**7/03**

11.10. **LOAD CALCULATIONS**

11.10.1. **FOR DC SYSTEMS**

11.10.1.1. The following method shall be used for calculating the total electrical load requirements for determining the minimum size of each panelboard, switchboard, and their main conductors. Additionally this information may be used to size the alternator, or other charging means, and the battery. (See E-11.7.1.1.1 and [ABYC E-10, Storage Batteries.](#))

11.10.1.1.1. In column A of TABLE II, Electrical Load Requirements Worksheet, list the current rating (amps) of the loads that must be available for use on a continuous duty basis for normal operations;

11.10.1.1.2. In column B of TABLE II, list the current rating (amps) of the remaining loads that are intermittent, and total these loads. Take 10% of the total load in column B, or the current draw of the largest item, whichever is greater, and add this value to the total from column A to establish the total electrical load.

**NOTE:** *Calculations are based on the actual operating amperage for each load, and not on the rating of the circuit breaker or fuse protecting that branch circuit.*

**TABLE II - ELECTRICAL LOAD REQUIREMENT WORKSHEET**

A		B	
	AMPERES		AMPERES
Navigation Lights		Cigarette Lighter	
Bilge Blower(s)		Cabin Lighting	
Bilge Pump(s)		Horn	
Wiper(s)		Additional Electronic Equipment	
Largest Radio (Transmit Mode)		Trim Tabs	
Depth Sounder		Power Trim	
Radar		Toilets	
Searchlight		Anchor Windlass	
Instrument(s)		Winches	
Alarm System (standby mode)		Fresh Water Pump(s)	
Refrigerator			
Engine Electronics			
Total Column A		Total Column B	
		10% Column B	
		Largest Item in Column B	

Total Load Required

Total Column A \_\_\_\_\_

Total Column B \_\_\_\_\_ (The larger of 10% of Column B or the largest item)

Total Load \_\_\_\_\_

11.10.2. **FOR AC SYSTEMS**

11.10.2.1. **POWER SOURCE OPTIONS**

The method shown in E-11.10.2.2 shall be used for calculating the total electrical load requirements for determining the size of panelboards and their feeder conductors along with generator, inverter, and shore power capacities. The total power required shall be supplied by one of the following means.

11.10.2.1.1. **Single Shore Power Cable** - A shore power cable, power inlet, wiring, and components with a minimum capacity to supply the total load as calculated, complying with E-11.7.2.1.1.

11.10.2.1.2. **Multiple Shore Power Cables** - Multiple shore power cables, power inlets, wiring, and components shall have a minimum total capacity to supply the total load as calculated complying with E-11.7.2.1.1. All sources need not be of equal capacity, but each power inlet shall be clearly marked to indicate voltage, ampacity, phase (if a three phase



**Power Source Options – AC Systems-Continued**

system is incorporated), and the load or selector switch that it serves.

11.10.2.1.3. On Board AC Generator(s) or Inverter(s) - On board AC generator(s) or inverter(s) to supply the total load as calculated. Total minimum installed KVA for a single phase system is as follows:

$$\text{KVA} = \frac{\text{Maximum Total Leg Amps. X System Voltage}}{1000}$$

11.10.2.1.4. Combination of Shore Power Cable(s), On-board Generator(s) and Inverter(s) - A combination of power sources, used simultaneously if the boat circuitry is arranged such that the load connected to each source is isolated from the other in accordance with E-11.5.3.6. Shore power cable(s) plus on-board generator(s) and inverter(s) capacity shall be at least as large as the total electrical load requirements as calculated. Generator(s) and inverters(s) installation and switching shall be as required in E-11.7.3.

**11.10.2.2. LOAD CALCULATIONS**

11.10.2.2.1. The following is the method for load calculation to determine the minimum size of panelboards and their main feeder conductors as well as the size of the power source(s) supplying these devices. (See E-11.10.2.1.)

11.10.2.2.1.1. Lighting Fixtures and Receptacles - Length times width of living space (excludes spaces exclusively for machinery and open deck areas) times 20 watts per square meter (2 watts per square foot).

Formula:  
Length (meters) x width (meters) x 20 = \_\_\_\_\_ lighting watts, or

Length (feet) x width (feet) x 2 = \_\_\_\_\_ lighting watts.

11.10.2.2.2. Small Appliances - Galley and Dinette Areas - Number of circuits times 1,500 watts for each 20 ampere appliance circuits.

Formula: Number of circuits x 1,500 = \_\_\_\_\_ small appliance watts.

11.10.2.2.3. Total

Formula:  
Lighting watts plus small appliance watts = \_\_\_\_\_ total watts.

11.10.2.2.4. Load Factor

Formula: First 2,000 total watts at 100% = \_\_\_\_\_.  
Remaining total watts x 35% = \_\_\_\_\_.

Total watts divided by system voltage = \_\_\_\_\_ amperes.

11.10.2.2.5. If a shore power system is to operate on 240 volts, split and balance loads into Leg A and Leg B. If a shore power system is to operate on 120 volts, use Leg A only.

Leg A / Leg B  
\_\_\_\_\_/\_\_\_\_\_ Total Amperes

11.10.2.2.6. Add nameplate amperes for motor and heater loads

\_\_\_\_\_/\_\_\_\_\_exhaust and supply fans  
\_\_\_\_\_/\_\_\_\_\_air conditioners \*,\*\*  
\_\_\_\_\_/\_\_\_\_\_electric, gas, or oil heaters\* \_\_\_\_\_ /  
\_\_\_\_\_25% of largest motor in above items  
\_\_\_\_\_/\_\_\_\_\_Sub-Total

**NOTE: \*Omit smaller of these two, except include any motor common to both functions.**

**\*\*If system consists of three or more independent units adjust the total by multiplying by 75% diversity factor.**

11.10.2.2.7. Add nameplate amperes at indicated use factor percentage for fixed loads:

Leg A / Leg B

_____	_____	Disposal -10%
_____	_____	Water Heater - 100%
_____	_____	Wall Mounted Ovens – 75%
_____	_____	Cooking Units - 75%
_____	_____	Refrigerator -100%
_____	_____	Freezer – 100%
_____	_____	Ice Maker - 50%
_____	_____	Dishwasher - 25%
_____	_____	Washing Machine – 25%
_____	_____	Dryer - 25%
_____	_____	Trash Compactor – 10%
_____	_____	Air Compressor - 10%
_____	_____	Battery Chargers – 100%
_____	_____	Vacuum System - 10%
_____	_____	Other Fixed Appliances
_____	_____	Sub-Total
_____	_____	**Adjusted Sub-Total

**NOTE: \*\*If four or more appliances are installed on a leg, adjust the sub-total of that leg by multiplying by 60% diversity factor.**

**Load Calculations - AC Systems - Continued**

11.10.2.2.8. Determine Total Loads

Leg A / Leg B

\_\_\_\_\_ lighting, receptacles, and small appliances (from E-11.10.2.2.5)

\_\_\_\_\_ motors and heater loads (from E-11.10.2.2.6)

\_\_\_\_\_ fixed appliances (from E-11.10.2.2.7)

\_\_\_\_\_ free standing range (See NOTE 1)

\_\_\_\_\_ calculated total amperes (load)

**NOTES: 1. Add amperes for free standing range as distinguished from separate oven and cooking units. Derive by dividing watts from TABLE III by the supply voltage, e.g., 120 volts or 240 volts.**

**2. If the total for Legs A and B are unequal, use the larger value to determine the total power required**

11.11. **PANELBOARD**

11.11.1. GENERAL

11.11.1.1. Boats equipped with both AC and DC electrical systems shall have their distribution on separate panelboards, or in the case of systems with combined AC and DC panelboards, the panel shall be designed so that when the panel is open there is no access to energized AC parts without the use of tools.

11.11.1.2. A panelboard shall be installed in a readily accessible location and shall be weatherproof or be protected from weather and splash.

11.11.2. FOR DC SYSTEMS

11.11.2.1. Panelboards shall be designed so that there are no exposed energized AC parts accessible to the operator when the DC panel is open.

11.11.2.2. Panelboards used on boats with more than one system voltage shall have a permanent marking showing the system voltage and its type (DC).

11.11.3. FOR AC SYSTEMS

11.11.3.1. Panelboard marking

11.11.3.1.1. The face of panelboards shall be permanently marked with the system voltage and either "VAC" or system frequency.

**EXAMPLE:** "120 VAC," or "120V-60 hertz."

11.11.3.1.2. If the frequency is other than 60 hertz, the frequency shall be indicated.

11.11.3.1.3. For three phase systems the system voltage, phase, and number of conductors shall be indicated.

11.11.3.2. A system voltmeter shall be installed on the main panelboard if the system is permanently connected to

11.11.3.2.1. motor circuits, or

11.11.3.2.2. a generator, or

11.11.3.2.3. an inverter. If the inverter does not have a true sinusoidal output, the voltmeter shall be a true RMS type. (See [ABYC A-25, Power Inverters.](#))

**EXCEPTION: The inverter voltmeter may be installed in proximity to the panelboard.**

11.12. **OVERCURRENT PROTECTION**

11.12.1. FOR DC SYSTEMS

11.12.1.1. Battery Charging Sources

11.12.1.1.1. Each ungrounded conductor connected to a battery charger, alternator, or other charging source, shall be provided with overcurrent protection within a distance of seven inches (175mm) of the point of connection to the DC electrical system or to the battery.

**EXCEPTIONS: 1. If the conductor is connected directly to the battery terminal and is contained throughout its entire distance in a sheath or enclosure such as a conduit, junction box, control box or enclosed panel, the overcurrent protection shall be placed as close as practicable to the battery, but not to exceed 72 inches (1.83m).**

**2. If the conductor is connected to a source of power other than a battery terminal and is contained throughout its entire distance in a sheath or enclosure such as a conduit, junction box, control box or enclosed panel, the overcurrent protection shall be placed as close as practicable to the point of connection to the source of power, but not to exceed 40 inches (1.02m). Overcurrent protection is not required in conductors from self-limiting alternators with integral regulators if the conductor is less than 40 inches (1.02m), is connected to a source of power other than the battery, and is contained throughout its entire distance in a sheath or enclosure.**

## Overcurrent Protection - DC Systems - Continued

11.12.1.1.2. In addition to the provisions of E-11.12.1.1.1, the ungrounded conductor shall be provided with overcurrent protection within the charging source, or within seven inches (175mm) of the charging source, based on the maximum output of the device.

**EXCEPTION: Self-limiting devices.**

11.12.1.2. Overcurrent Protection Device Location - Ungrounded conductors shall be provided with overcurrent protection within a distance of seven inches (175mm) of the point at which the conductor is connected to the source of power measured along the conductor. (See FIGURE 15.)

**EXCEPTIONS: 1. Cranking motor conductors.**

**2. If the conductor is connected directly to the battery terminal and is contained throughout its entire distance in a sheath or enclosure such as a conduit, junction box, control box or enclosed panel, the overcurrent protection shall be placed as close as practicable to the battery, but not to exceed 72 inches (1.83m).**

**3. If the conductor is connected to a source of power other than a battery terminal and is contained throughout its entire distance in a sheath or enclosure such as a conduit, junction box, control box or enclosed panel, the overcurrent protection shall be placed as close as practicable to the point of connection to the source of power, but not to exceed 40 inches (1.02m).**

**NOTE: See Section E- 11.16.4, Installation.**

11.12.1.3. Motors or motor operated Equipment - Motors and motor operated equipment, except for engine cranking motors, shall be protected internally at the equipment, or by branch circuit overcurrent protection devices suitable for motor current. The protection provided shall preclude a fire hazard if the circuit, as installed, is energized for seven hours under any conditions of overload, including locked rotor.

**NOTES: 1. It may be necessary to use thermally responsive protection devices on the equipment or system if the motor is not capable of operating continuously at maximum possible loading.**

**2. It may be necessary to test as installed in order to assure compliance with the locked rotor requirement. Voltage drop, due to wire size, and delay characteristics of the overcurrent protection device may have to be adjusted to protect the motor.**

11.12.1.4. Non-motor Loads - The rating of overcurrent protection devices used to protect a load other than a DC motor shall not exceed 150 percent of

the ampacity of its supply conductor. (See TABLE IV.)

11.12.1.5. Branch Circuits

11.12.1.5.1. Each ungrounded conductor of a branch circuit shall be provided with overcurrent protection at the point of connection to the main switchboard unless the main circuit breaker or fuse provides such protection.

11.12.1.5.2. Each fuse or trip-free circuit breaker shall be rated in accordance with E-11.12.1.3 and E-11.12.1.4 and shall not exceed 150 percent of the conductor ampacity in TABLE IV. (See FIGURE 15.)

11.12.1.6. Panelboards and Switchboards - A trip-free circuit breaker or a fuse shall be installed at the source of power for panelboards and switchboards, and shall not exceed 100 percent of the load capacity of that panel, or 100 percent of the current carrying capacity of the feeders.

**EXCEPTION: The trip-free circuit breaker or fuse at the source of power may be rated at up to 150 percent of the conductor ampacity if there is a sub-main circuit breaker or fuse in the panelboard or switchboard that is rated at no more than 100 percent of the load capacity, or the feeder ampacity, whichever is less. (See FIGURE 16.)**

11.12.1.7. Circuit Breakers

11.12.1.7.1. Circuit breakers installed in spaces requiring ignition protection shall comply with SAE J1171, *External Ignition Protection of Marine Devices*, or UL 1500, *Ignition Protection Test for Marine Products*. If internal explosion tests are required, the ignition of the test gas shall be created at four times the current rating of the device being tested.

11.12.1.7.2. Circuit breakers shall

11.12.1.7.2.1. have a DC voltage rating of not less than the nominal system voltage, and

11.12.1.7.2.2. be of the trip-free type, and

11.12.1.7.2.3. be capable of an interrupting capacity according to TABLE V, and remain operable after the fault,

**EXCEPTION: Integral overcurrent protection in electrical devices.**

**NOTES: 1. A fuse in series with, and ahead of the circuit breaker, may be used to comply with TABLE V.**

**2. Consult the circuit breaker manufacturer to determine the fuse size and the type of fuse.**

### Circuit Breakers - Continued

11.12.1.7.2.4. be of the manual reset type except as provided in E-11.12.1.9.

11.12.1.8. Fuses

11.12.1.8.1. Fuses shall have a voltage rating of not less than the nominal system voltage.

11.12.1.8.2. Fuses installed in spaces requiring ignition protection shall comply with SAE J1171, *External Ignition Protection for Marine Devices*, or UL 1500, *Ignition Protection Test for Marine Products*. If internal explosion tests are required, the ignition of the test gas shall be created at four times the rating of the fuse.

11.12.1.9. Integral Overcurrent Protection Devices - Integral overcurrent protection devices without a manual reset may be used as an integral part of an electrical device provided the rest of the circuit is protected by a trip-free circuit protection device(s) or a fuse(s).

11.12.1.10. Pigtails - Pigtails less than 7 inches (175mm) in length are exempt from overcurrent protection requirements.

11.12.2. FOR AC SYSTEMS

11.12.2.1. Rating of Overcurrent Protection Devices - Overcurrent protection devices shall have a temperature rating and demand load characteristics consistent with the protected circuit and their location in the boat, i.e. machinery space or other space. (See E-11.5.1.1.)

11.12.2.2. The current rating of the overcurrent protection device shall not exceed the maximum current carrying capacity of the conductor being protected. (See TABLE VII and TABLE XIII)

**EXCEPTION: If there is not a standard current rating of the overcurrent protection device equal to 100 percent of the allowable current for the conductor in TABLE V, the next larger standard current rating may be used, provided it does not exceed 150 percent of the current allowed by TABLE VII or TABLE XIII.**

11.12.2.3. The AC voltage rating of the overcurrent protection device shall not be less than the nominal voltage of the supply circuit.

11.12.2.4. Each transformer shall be provided with overcurrent protection for the primary circuit that also provides protection for the secondary winding(s).

11.12.2.4.1. This overcurrent feeder protection device shall open all primary feeder conductors simultaneously, and

11.12.2.4.1.1. it shall be rated at not more than 125% of the rated primary current of the transformer.

**EXCEPTION: Feeder conductors for 120/240 -volt primary circuits require protection only in the ungrounded conductors.**

11.12.2.5. If the transformer secondary is wired to provide 120/240 -volt (three wire) output on the secondary, the transformer shall also be protected on the secondary side by a circuit breaker that simultaneously will open all the ungrounded conductors. This overcurrent protection shall be rated at not more than 125 percent of the rated secondary current of the transformer.

11.12.2.6. Branch Circuits - Each ungrounded conductor of a branch circuit shall be provided with overcurrent protection at the point of connection to the panelboard bus. Each circuit breaker or fuse used for this purpose shall be rated not to exceed the current rating of the smallest conductor between the fuse or circuit breaker and the load.

**EXCEPTION: If there is not a standard current rating of the overcurrent protection device equal to 100 percent of the allowable current for the conductor in TABLE VII, the next larger standard current rating may be used, provided it does not exceed 150 percent of the current allowed by TABLE VII or TABLE XIII.**

11.12.2.6.1. For boats wired with 120 volt, single-phase systems, branch circuit breakers shall simultaneously open both current-carrying conductors. Fuses shall not be used. (See E-11.7.2.2.1, DIAGRAM 1, and DIAGRAM 2.)

**EXCEPTION: Branch circuit breakers may open only the ungrounded current carrying conductor if the AC system on the boat is equipped with a polarity indicator, or transformer.**

11.12.2.6.2. If branch circuits contain two or more ungrounded current carrying conductors protected by fuses, means shall be provided to disconnect all energized legs of the circuit simultaneously or remove all fuses from the circuit simultaneously.

11.12.2.6.3. If a branch circuit contains two or more ungrounded current-carrying conductors protected by a circuit breaker, the circuit breakers shall be of the simultaneous trip type.

11.12.2.7. AC Motors - Each motor installation, and each motor of a motor operated

**Overcurrent Protection – AC Systems – Continued**

device, shall be individually protected by an overcurrent or thermal protection device.

**EXCEPTION: Motors that will not overheat under locked rotor conditions.**

11.12.2.8. Circuit breakers shall meet the requirements of UL 489, *Molded Case Circuit Protectors For Circuit Breaker Enclosures*, or UL 1077, *Supplementary Protectors For Use In Electrical Equipment*, or UL 1133, *Boat Circuit Breakers*, and

11.12.2.8.1. shall be of the manually reset trip-free type, and

11.12.2.8.2. shall be capable of an interrupting capacity in accordance with TABLE V - B .

**EXCEPTION: Integral overcurrent protection in electrical devices.**

11.12.2.8.2.1. Generator circuit breaker ampere interrupting capacity (rms) shall be selected considering available transient short circuit current (first half cycle).

11.12.2.9. Location of Overcurrent Protection

11.12.2.9.1. General Requirements

11.12.2.9.1.1. Each ungrounded current carrying conductor shall be protected by a circuit breaker or fuse.

11.12.2.9.1.2. A circuit breaker or fuse shall be placed at the source of power for each circuit or conductor except that

11.12.2.9.1.2.1. if it is physically impractical to place the circuit breaker or fuse at the source of power, it can be placed within seven inches (178 mm) of the source of power for each circuit or conductor, measured along the conductor.

11.12.2.9.1.2.2. If it is physically impractical to place the circuit breaker or fuse at or within seven inches of the source of power, it can be placed within 40 inches (102 cm) of the source of power for each circuit or conductor, measured along the conductor, if the conductor is contained throughout its entire distance between the source of power and the required circuit breaker or fuse in a sheath or enclosure such as a junction box, control box, or enclosed panel.

**EXCEPTION: Exception to E-11.12.2.9.1.2. Overcurrent protection as required in sections E-11.12.2.9.3 and E-11.12.2.9.4.**

11.12.2.9.2. Simultaneous trip circuit breakers shall be provided in power feeder conductors as follows:

11.12.2.9.2.1. 120 volt AC, single phase - ungrounded and grounded conductors (white),

11.12.2.9.2.2. 240 volt AC, single phase - both ungrounded conductors,

11.12.2.9.2.3. 120/240 volt AC, single phase - both ungrounded conductors,

11.12.2.9.2.4. 120/240 volt AC, delta three phase - all ungrounded conductors,

11.12.2.9.2.5. 120/208 volt AC, Wye three phase - all ungrounded conductors.

11.12.2.9.3. If the location of the main shore power disconnect circuit breaker is in excess of 10 feet (three meters) from the shore power inlet or the electrical attachment point of a permanently installed shore power cord, additional fuses or circuit breakers shall be provided within 10 feet (three meters) of the inlet or attachment point to the electrical system of the boat. Measurement is made along the conductors.

11.12.2.9.3.1. If fuses are used in addition to the main shore power disconnect circuit breaker, their rating shall be such that the circuit breakers trip before the fuses open the circuit, in the event of overload. The ampere rating of the additional fuses or circuit breaker shall not be greater than 125% of the rating of the main shore power disconnect circuit breaker. For 120-volt service, both the grounded and ungrounded current carrying conductors shall be provided with this additional overcurrent protection.

11.12.2.9.4. If required, overcurrent protection for power-feeder conductors from AC generators and inverters, shall be within seven inches (180 mm) of the output connections or may be within 40 inches (1.0 meter) of the output connections if the unprotected insulated conductors are contained throughout their entire distance in a sheath or enclosure such as a conduit, junction box or enclosed panel.

11.13. **GROUND FAULT PROTECTION**

11.13.1. FOR AC SYSTEMS

11.13.1.1. If installed, a ground fault protector (GFP) shall only be used to protect equipment.

**NOTE: A ground fault circuit interrupter (GFCI) may be used on single phase AC circuits to provide additional protection for personnel and equipment.**

## Ground Fault Protection – Continued

11.13.1.2. GFCI and GFP breakers shall meet the requirements of Underwriters Laboratories standard UL 943, Ground Fault Circuit Interrupters, and the requirements of UL 489, Molded Case Circuit Protectors for Circuit Breaker Enclosures.

11.13.1.3. GFCI and GFP breakers may be installed as panelboard feeder breakers to protect all associated circuits or in individual branch circuits.

11.13.1.4. Single-pole GFCI and GFP breakers shall only be used if:

11.13.1.4.1. the single phase 120 volt system has a polarity indicator, or

11.13.1.4.2. the system uses either a polarization transformer, or

11.13.1.4.3. the system is 120/240 volts.

11.13.1.5. GFCI receptacle devices shall meet the requirements of Underwriters Laboratories' standard UL 943, Ground Fault Circuit Interrupters, and the requirements of UL 498, Electrical Attachment Plugs and Receptacles.

11.13.1.6. GFCI receptacle devices may be installed as part of a convenience outlet installation either in single outlet applications or in multiple feed through installations. (See E-11.15.3.5.)

**NOTE: Isolation transformer primary main breakers - GFP breakers may be installed as the main breaker on the primary side of isolation transformers. (See E-11.7.2.2, DIAGRAM 8 and DIAGRAM 11.) This GFP breaker will provide ground fault protection only for the primary winding of the transformer. Protection for circuits supplied by the secondary winding of the transformer may be provided in accordance with E-11.12.2.4, E-11.12.2.5, E-11.12.2.6.3, and E- 11.13.1.4**

### 11.14. SWITCHES

#### 11.14.1. GENERAL

11.14.1.1. Switches shall have voltage ratings not less than the system voltage, current ratings not less than the connected load, and shall be rated for the type of load, i.e., inductive or resistive.

**EXCEPTION: Battery switches. (See E-11.7.1.2.3.)**

#### 11.14.2. FOR DC SYSTEMS

11.14.2.1. If single pole switches are used in branch circuits they shall be installed in the positive conductor of the circuit.

**EXCEPTIONS: 1. Engine mounted pressure, vacuum, and temperature operated switches.**

**2. Switches such as those used for control of alarm systems.**

#### 11.14.3. FOR AC SYSTEMS

11.14.3.1. Switches used in branch circuits shall simultaneously open all ungrounded conductor(s) of the branch circuit.

### 11.15. PLUGS AND RECEPTACLES

#### 11.15.1. GENERAL

11.15.1.1. Receptacles shall be installed in locations not normally subject to rain, spray, or flooding but if receptacles are used in such areas the following shall apply:

11.15.1.1.1. Receptacles installed in locations subject to rain, spray, or splash shall be weatherproof when not in use.

**NOTE: Weatherproofing may be provided by means such as spring-loaded, self-closing, or snap-type receptacle covers.**

11.15.1.1.2. Receptacles installed in areas subject to flooding or momentary submersion shall be of a watertight design as may be provided by a threaded, gasketed cover.

11.15.1.1.3. Receptacles provided for the galley shall be located so appliance cords can be plugged in without crossing a traffic area, galley, stove or sink.

11.15.1.2. Receptacles and matching plugs used on AC systems shall not be interchangeable with receptacles and matching plugs used on DC systems.

#### 11.15.2. FOR DC SYSTEMS

11.15.2.1. Multi-wire plugs and receptacles used in conjunction with harness type wiring systems shall comply with the following:

11.15.2.1.1. Plugs and receptacles shall incorporate means, such as cable clamps, molded connectors, insulation grips, extended terminal barrels, etc., for supporting all wires to limit flexing at the connection, and

11.15.2.1.2. plugs and receptacles exposed to weather shall be weatherproof, or if subject to immersion, shall be watertight.

**Plugs and Receptacles – DC – Continued**

11.15.2.2. Each terminal in a multi-wire plug and receptacle shall be protected from accidental short-circuiting to adjacent terminals.

11.15.2.3. Plug connectors shall have a minimum disengagement force of 6 pounds (2.75kg) along the axial direction of the connector for one minute.

11.15.2.4. The plug connector's capacity shall be selected to meet or exceed the ampacity and temperature rating of the connecting conductors in addition to its wire size capability.

11.15.3. FOR AC SYSTEMS

11.15.3.1. Receptacles shall be installed in boxes that meet the requirements of UL 514A, Metallic Outlet Boxes, or 514C, Nonmetallic Outlet Boxes, Flush Device Boxes And Covers.

11.15.3.2. Receptacles shall be of the grounding type with a terminal provided for the grounding (green) conductor as shown in FIGURE 12 and FIGURE 13.

11.15.3.3. Power wiring for receptacles shall be connected so that the grounded (white) conductor attaches to the terminal identified by the word "white" or a light color (normally white or silver). The ungrounded conductor(s) shall be attached to the terminal(s) identified by a dark color (normally brass or copper) and, optionally, the letters X, Y, and Z or L1, L2, and L3.

11.15.3.4. A branch circuit supplying a combination of receptacle loads and permanently connected loads shall not supply fixed loads in excess of the following:

11.15.3.4.1. 600 watts for a 15-ampere circuit;

11.15.3.4.2. 1000 watts for a 20-ampere circuit.

**NOTE: Refer to E- 11.10.2.2 for load calculations.**

11.15.3.5. If installed in a head, galley, machinery space, or on a weather deck, the receptacle shall be protected by a Type A (nominal 5 milliamperes) Ground Fault Circuit Interrupter (GFCI). (See E-11.13.)

**NOTE: GFCI receptacle devices are not necessarily ignition protected per E-11.5.1.3.1.**

11.16. SYSTEM WIRING

11.16.1. CONDUCTORS

11.16.1.1. GENERAL

11.16.1.1.1. Minimum surface marking of the individual conductors and their jackets shall include:

11.16.1.1.1.1. type/style,

11.16.1.1.1.2. voltage,

11.16.1.1.1.3. wire size, and

11.16.1.1.1.4. temperature rating, dry.

**EXCEPTION: Flexible cords in Table VIII**

11.16.1.1.2. Conductors shall be at least 16 AWG.

**EXCEPTIONS: 1. 18 AWG conductors may be used if included with other conductors in a sheath and do not extend more than 30 inches (760mm) outside the sheath.**

**2. 18 AWG conductors may be used as internal wiring on panelboards.**

**3. Conductors that are totally inside an equipment housing.**

**4. Conductors on circuits of less than 50 volts having a current flow of less than one amp in communication systems, electronic navigation equipment and electronic circuits.**

**5. Pigtails less than seven inches (178 mm) used as wiring on panelboards.**

11.16.1.2. FOR DC SYSTEMS

11.16.1.2.1. Conductors and flexible cords shall have a minimum rating of 50 volts.

11.16.1.2.2. The construction of insulated cables and conductors shall conform with the requirements of:

11.16.1.2.2.1. UL 1426, *Cables for Boats*, or

11.16.1.2.2.2. the insulating material temperature rating requirements of:

11.16.1.2.2.2.1. SAE J378, *Marine Engine Wiring*, and

11.16.1.2.2.2.2. SAE J1127, *Battery Cable*, or SAE J1128, *Low-Tension Primary Cable*.

**System Wiring – DC - Continued**

11.16.1.2.3. Conductors may be selected from the types listed in TABLE VI , Table VIII and TABLE IX . The temperature ratings shown contemplate the routing of wires above bilge water in locations protected from dripping, exposures to weather, spray, and oil.

11.16.1.2.4. Flexible cords shall conform with the National Electrical Code, and shall be selected from the types listed in Table VIII.

11.16.1.2.5. Conductors and flexible cords shall be stranded copper according to TABLE XII.

11.16.1.2.6. Conductors used for panelboard or switchboard main feeders shall have ampacities as determined in E-11.10.1.1 Conductors used for branch circuits or in electrical systems that do not use a panelboard or switchboard shall have their ampacities determined by their loads (See TABLE II).

11.16.1.2.7. Conductors used for panelboard or switchboard main feeders, bilge blowers, electronic equipment, navigation lights, and other circuits where voltage drop must be kept to a minimum, shall be sized for a voltage drop not to exceed three percent. Conductors used for lighting, other than navigation lights, and other circuits where voltage drop is not critical, shall be sized for a voltage drop not to exceed 10 percent.

11.16.1.2.8. To determine conductor size and insulation temperature rating, use the ampacity as specified in E-11.16.1.2.6 in conjunction with TABLE IV . Then use TABLE X or TABLE XI to check the conductor size for compliance with the maximum allowable voltage drop specified in E-11.16.1.2.7. In the event of a conflict between the ampacity table and the voltage drop tables, the larger conductor size shall be used.

11.16.1.2.9. To use TABLE X and TABLE XI , measure the length of the conductor from the positive power source connection to the electrical device and back to the negative power source connection. Use the conductor length, the system voltage, and the ampacity as specified in E-11.16.1.2.6, in conjunction with the appropriate volt drop table, i.e., 3 percent or 10 percent – TABLE X or TABLE XI , to determine conductor size.

**NOTES: 1. The power source connection may be the battery, or a panelboard or switchboard, if used.**

**2. If the ampacity as specified in E- 11.16.1.2.6 exceeds the ampacities in TABLE XI and TABLE X, the conductor size necessary to keep voltage drop below the maximum permitted level may be calculated by means of the following formula:**

$$CM = \frac{K \times I \times L}{E}$$

Where:

- CM = Circular mil area of conductor.
- K = 10.75 (constant representing the resistivity of copper)
- I = Load current in amperes
- L = Length of conductor from the positive power source connection to the electrical device and back to the negative power source connection, measured in feet.
- E = Maximum allowable voltage drop at load in volts (e.g., for a three percent voltage drop at nominal 12V, E= 0.03 x 12 = 0.36; for a 10 percent voltage drop at nominal 12V, E = 1.2).

**3. Use TABLE XII to convert circular mils (cm) to conductor gauge. If the cm area falls between two gauge sizes, the larger conductor shall be used.**

11.16.1.3. FOR AC SYSTEMS

11.16.1.3.1. Conductors shall have a minimum rating of 600 volts.

11.16.1.3.2. Flexible cords shall have a minimum rating of 300 volts.

11.16.1.3.3. The temperature rating of conductors and flexible cords shall be at least 140°F (60°C) dry.

11.16.1.3.4. In engine spaces,

11.16.1.3.4.1. the insulation shall be oil resistant, and

11.16.1.3.4.2. the temperature rating shall be at least 167°F (75°C) dry.

**NOTE: Conductor rating temperatures refer to the insulation maximum operating temperature of the conductors.**

11.16.1.3.5. All conductors and flexible cords shall meet the flame retardant and moisture resistant requirements of UL 83, *Thermoplastic-Insulated Wires and Cables*.

11.16.1.3.6. All conductors and flexible cords shall meet the requirements of the applicable standards of Underwriters Laboratories Inc.

11.16.1.3.7. Conductors and flexible cords shall be stranded copper according to TABLE XII.



**System wiring –AC- Continued**

**NOTE:** *Some currently available wire types that meet all of the above requirements are listed in Table VIII.*

11.16.1.3.8. Conductors and flexible cords shall be of size according to TABLE VII and TABLE XIII.

11.16.1.3.8.1. Where single conductors or multi-conductor cables are bundled for a distance greater than 24 inches (610 mm), the allowable ampacity of each conductor shall be reduced as shown in TABLE VII and TABLE XIII.

**NOTE:** *When determining the allowable ampereage of bundled conductors using TABLE VII and TABLE XIII, the AC grounding conductor and a neutral conductor that carries only the unbalanced current from other conductors are not considered to be current carrying conductors.*

11.16.1.3.8.2. The AC grounding conductor shall be permitted to be one size smaller than the current carrying conductors on circuits rated greater than 30 amperes.

11.16.2. WIRING IDENTIFICATION

11.16.2.1. FOR DC SYSTEMS

11.16.2.1.1. Each electrical conductor that is part of the boat's electrical system shall have a means to identify its function in the system.

**EXCEPTION:** *Pigtails less than seven inches (175mm) in length.*

11.16.2.1.2. Insulated grounding conductors shall be identified by the color green or green with yellow stripe(s).

11.16.2.1.3. The color code shown in TABLE XIV identifies colors for DC conductors used for general wiring purposes on boats.

11.16.2.1.4. The color code shown in Table XV identifies one selection of colors for use as an engine accessory wiring color code. Other means of identification may be used providing a wiring diagram of the system indicating the method of identification is provided with each boat.

11.16.2.1.4.1. Color-coding may be accomplished by colored sleeving or color application to wiring at termination points.

11.16.2.1.4.2. If tape is used to mark a wire, the tape shall be at least 3/16 inch (5mm) in width, and

shall have sufficient length to make at least two complete turns around the conductor to be marked. The tape shall be applied to be visible near each terminal.

11.16.2.2. FOR AC SYSTEMS

11.16.2.2.1. Conductors shall be identified to indicate circuit polarity as follows:

ungrounded conductor	black or brown
grounded neutral conductor	white, or light blue
grounding conductor	green, green w/yellow stripe
additional ungrounded conductors	red, orange, blue
additional colors for ungrounded conductors (black)	Black w/red stripe Black w/ blue stripe Black w/ orange stripe

11.16.3. WIRING TERMINALS

11.16.3.1. Wiring connections shall be designed and installed to make mechanical and electrical joints without damage to the conductors.

11.16.3.2. Metals used for the terminal studs, nuts, and washers shall be corrosion resistant and galvanically compatible with the conductor and terminal lug. Aluminum and unplated steel shall not be used for studs, nuts, and washers.

11.16.3.3. Each conductor-splice joining conductor to conductor, conductor to connectors, and conductor to terminals must be able to withstand a tensile force equal to at least the value shown in Table XVI for the smallest conductor size used in the splice for a one minute duration, and not break.

11.16.3.4. Terminal connectors shall be the ring or captive spade types. (See FIGURE 17.)

**EXCEPTION:** *Friction type connectors may be used on components if*

*1. the circuit is rated not more than 20 amperes or the manufacturer's rating for a terminal designed to meet the requirements of UL 310, "Electrical Quick-Connect Terminals", or UL 1059, "Terminal Block"s, and*

*2. the voltage drop from terminal to terminal does not exceed 50 millivolts for a 20 amp current flow, and*

*3. the connection does not separate if subjected for one minute to a six pound (27 Newton) tensile force along the axial direction of the connector, on the first withdrawal.*

### Wiring Terminals-Continued

11.16.3.5. Connections may be made using a set-screw pressure type conductor connector, providing a means is used to prevent the set-screw from bearing directly on the conductor strands.

11.16.3.6. Twist on connectors, i.e., wire nuts, shall not be used.

11.16.3.7. Solder shall not be the sole means of mechanical connection in any circuit. If soldered, the connection shall be so located or supported as to minimize flexing of the conductor where the solder changes the flexible conductor into a solid conductor.

**EXCEPTION:** *Battery lugs with a solder contact length of not less than 1.5 times the diameter of the conductor.*

**NOTE:** *When a stranded conductor is soldered, the soldered portion of the conductor becomes a solid strand conductor, and flexing can cause the conductor to break at the end of the solder joint unless adequate additional support is provided.*

11.16.3.8. Solderless crimp on connectors shall be attached with the type of crimping tools designed for the connector used, and that will produce a connection meeting the requirements of E-11.16.3.3.

11.16.3.9. The shanks of terminals shall be protected against accidental shorting by the use of insulation barriers or sleeves, except for those used in grounding systems.

### 11.16.4. INSTALLATION

#### 11.16.4.1. GENERAL

11.16.4.1.1. Junction boxes, cabinets, and other enclosures in which electrical connections are made shall be weatherproof, or installed in a protected location, to minimize the entrance or accumulation of moisture or water within the boxes, cabinets, or enclosures.

11.16.4.1.2. In wet locations, metallic boxes, cabinets, or enclosures shall be mounted to minimize the entrapment of moisture between the box, cabinet, or enclosure, and the adjacent structure. If air spacing is used to accomplish this, the minimum shall be 1/4 inch (7.0 mm).

11.16.4.1.3. Unused openings in boxes, cabinets, and weatherproof enclosures shall be closed.

11.16.4.1.4. All conductors shall be supported and/or clamped to relieve strain on connections.

11.16.4.1.5. When AC and DC conductors are run together, the AC conductors shall be sheathed,

bundled, or otherwise kept separate from the DC conductors.

11.16.4.1.6. Current-carrying conductors shall be routed as high as practicable above the bilge water level and other areas where water may accumulate. If conductors must be routed in the bilge or other areas where water may accumulate, the connections shall be watertight.

11.16.4.1.7. Conductors shall be routed as far away as practicable from exhaust pipes and other heat sources. Unless an equivalent thermal barrier is provided, a clearance of at least two inches (51 mm) between conductors and water cooled exhaust components, and a clearance of at least nine inches (230 mm) between conductors and dry exhaust components, shall be maintained. Conductors shall not be routed directly above a dry exhaust.

#### **EXCEPTIONS:** 1. *Wiring on engines.*

#### 2. *Exhaust temperature sensor wiring.*

11.16.4.1.8. Conductors that may be exposed to physical damage shall be protected by self-draining; loom, conduit, tape, raceways, or other equivalent protection. Conductors passing through bulkheads or structural members shall be protected to minimize insulation damage such as chafing or pressure displacement. Conductors shall also be routed clear of sources of chafing such as steering cable and linkages, engine shafts, and control connections.

11.16.4.1.9. Loom used to cover conductors shall be self-extinguishing. The base product (or resin) shall be classified as V-2 or better, in accordance with UL 94, *Tests For Flammability Of Plastic Materials.*

11.16.4.1.10. Conductors shall be supported throughout their length or shall be secured at least every 18 inches (455mm) by one of the following methods:

11.16.4.1.10.1. By means of non-metallic clamps sized to hold the conductors firmly in place. Non-metallic straps or clamps shall not be used over engine(s), moving shafts, other machinery or passageways, if failure would result in a hazardous condition. The material shall be resistant to oil, gasoline, and water and shall not break or crack within a temperature range of -34°C (-30°F) to 121°C (250°F);

11.16.4.1.10.2. By means of metal straps or clamps with smooth, rounded edges to hold the conductors firmly in place without damage to the conductors or insulation. That section of the conductor or cable directly under the strap or clamp shall be protected by means of loom, tape or other suitable wrapping to prevent injury to the conductor;

### Installation - General -Continued

11.16.4.1.10.3. By means of metal clamps lined with an insulating material resistant to the effects of oil, gasoline, and water.

**EXCEPTIONS: Exception to E-11.16.4.1.10:**

**1. Battery cables within 36 inches (910mm) of a battery terminal.**

**2. Cables attached to outboard motors.**

11.16.4.1.11. No more than four conductors shall be secured to any one terminal stud. If additional connections are necessary, two or more terminal studs shall be connected together by means of jumpers or copper straps.

11.16.4.1.12. Ring and captive spade type terminal connectors shall be the same nominal size as the stud.

11.16.4.1.13. Conductors terminating at panelboards in junction boxes or fixtures shall be arranged to provide a length of conductor to relieve tension, to allow for repairs and to permit multiple conductors to be fanned at terminal studs.

#### 11.16.4.2. DC SYSTEMS

11.16.4.2.1. Wiring shall be installed in a manner that will avoid magnetic loops in the area of the compass and magnetically sensitive devices. Direct current wires that may create magnetic fields in this area shall run in twisted pairs.

11.16.4.2.2. Battery cables without overcurrent protection shall comply with the following:

11.16.4.2.2.1. Battery cables shall be routed above normal bilge water levels throughout their length;

11.16.4.2.2.2. Battery cables shall be routed to avoid contact with metallic fuel system components;

11.16.4.2.2.3. The ungrounded battery cable shall be routed to avoid contact with any part of the engine or drive train.

#### 11.16.4.3. FOR AC SYSTEMS

11.16.4.3.1. All connections normally carrying current shall be made in enclosures to protect against shock hazards.

11.16.4.3.2. Nonmetallic outlet boxes, flush device boxes and covers shall meet the requirements of UL 514C, *Non-metallic Outlet Boxes, Flush Device Boxes and Covers*.

### 11.17. APPLIANCES AND EQUIPMENT

#### 11.17.1. GENERAL

11.17.1.1. All electrical appliances and equipment designed for permanent installation shall be securely mounted to the boat's structure.

#### 11.17.2. FOR DC SYSTEMS

11.17.2.1. Appliances and fixed DC electrical equipment shall be designed so that the current carrying parts of the device are insulated from all exposed electrically conductive parts.

**EXCEPTIONS: 1. 12-volt equipment not located in machinery spaces, not in contact with bilge, and not in contact with a fuel line.**

**2. Communications and audio equipment**

**3. Electric navigation equipment**

**4. Instruments and instrument clusters**

**5. Liquid level gauge transmitters. For installation of fuel tank transmitters on conductive surfaces. (See E-11.17.2.4.)**

**6. Navigation lights operating at nominal 12 volts. See [ABYC A-16, "Electric Navigation Lights."](#)**

**7. Auxiliary generator sets**

**8. Engine mounted equipment. (See E-11.5.2.1.)**

11.17.2.2. Devices subject to exceptions 1 through 8 in E-11.17.2.1 shall be installed with the case negative, and the positive connection shall be identified.

11.17.2.3. All exposed electrically conductive non-current carrying parts of fixed DC electrical equipment, and appliances that may normally be in contact with bilge water or seawater, shall be connected to the DC grounding system.

**EXCEPTIONS: 1. Boats not equipped with a DC grounding system.**

**2. Equipment with an effective double insulation system.**

**3. Metal parts isolated in non-conductive material**

**4. Electric trolling motors**

11.17.2.4. Grounded Liquid Level Gauge Transmitters (senders) - Grounded liquid level gauge

**Appliances and Equipment – DC – Continued**

transmitters mounted on fuel tanks or tank plates shall have the transmitter negative return conductor connected directly to the DC main negative bus, the engine negative terminal, or for outboard boats the battery negative terminal or its bus. No other device shall be connected to this conductor. This conductor shall also serve as the static ground and/or the bonding conductor for the tank and fill. If a fuel tank is included in the lightning protection system the conductor between the fuel tank and the DC main negative bus shall meet the requirements of [ABYC E-4, Lightning Protection](#).

11.17.3. FOR AC SYSTEMS

11.17.3.1. Fixed AC electrical equipment used on boats shall be designed so that the current carrying parts of the device are effectively insulated from all exposed electrically conductive parts.

11.17.3.2. All exposed, electrically conductive, non-current carrying parts of fixed AC electrical equipment and appliances intended to be grounded shall be connected to the grounding conductor.

**NOTE: If an appliance (e.g., electric range, electric dryer) has a neutral to ground bonding strap, it must be removed in order to comply with 11.5.3.2.**

11.17.3.3. Integral overcurrent protection may be provided.

11.18. DC GROUNDING AND BONDING

11.18.1. DC Grounding - If a DC grounding system is installed, the DC grounding conductor shall be used to connect metallic non-current-carrying parts of those direct current devices identified in E-11.17.2.3 to the engine negative terminal or its bus for the purpose of minimizing stray current corrosion. (See FIGURE 18.)

11.18.2. DC Grounding Conductor

11.18.2.1. A DC grounding conductor shall not be smaller than one size under that required for current carrying conductors supplying the device and not less than 16 AWG. (See FIGURE 18 and FIGURE 19.)

11.18.2.2. Routing - The DC grounding conductor shall be routed from the device to the engine negative terminal or the DC main negative bus by one of the following means:

11.18.2.2.1. The DC grounding conductor shall be routed together with the current carrying conductors as a third wire;

11.18.2.2.2. The DC grounding conductor shall be routed as a separate conductor.

11.18.2.3. The DC grounding conductor shall be connected to a DC grounding bus in accordance with E-11.18.2.5.

11.18.2.4. Connections - DC grounding conductor connections shall be made in accordance with E-11.16.3.

11.18.2.5. DC Grounding Bus

11.18.2.5.1. The DC grounding bus shall be connected directly to the engine negative terminal or the DC main negative bus.

11.18.2.5.2. The DC grounding bus serving more than one electrical device shall comply with E-11.18.2 for the largest device, and shall be manufactured and installed in accordance with the following:

11.18.2.5.2.1. If the DC grounding bus is fabricated from copper or bronze strip, it shall have a thickness not less than 1/32 inch (0.8mm) and a width of not less than 1/2 inch (13mm); and

11.18.2.5.2.1.1. shall be drilled and tapped providing its thickness ensures no less than three full threads of engagement for the terminal screws; or

11.18.2.5.2.1.2. shall be through-drilled, and the connections made with machine screws and lock-nuts.

**NOTE: Copper pipe may be used providing its wall thickness is sufficient for the pipe to be drilled and tapped as required above.**

11.18.2.5.2.2. Copper braid shall not be used.

11.18.2.6. Combined DC Grounding and Bonding Systems - The DC grounding conductors may be combined with the following systems providing all the requirements with respect to conductor size are met for each system. (See FIGURE 18, FIGURE 19 and FIGURE 20 )

11.18.2.6.1. Lightning Protection - See [ABYC E-4, Lightning Protection](#).

11.18.2.6.2. Cathodic Bonding - See [ABYC E-2, Cathodic Protection](#).

11.18.2.6.3. Static Electricity Grounding – See E-11.17.2.4, [ABYC H-24, Gasoline Fuel Systems](#), and [ABYC H-33, Diesel Fuel Systems](#).

**Grounding and Bonding – DC – Continued**

11.18.2.7. Radio Ground Plate - If the radio ground plate is connected to the engine negative terminal, the connecting conductor shall meet the requirements of [ABYC E-4, Lightning Protection](#), since a radio ground plate may also function as a lightning ground plate.

11.18.2.8. Coaxial Cables and Conduit - The metallic braid of coaxial cables and metal conduit used for radio interference, or any form of radio shielding or armoring, shall be connected to earth ground with an insulated stranded copper conductor.

Figure 1- ISOLATION OF ELECTRICAL COMPONENTS




Figure 2 – ISOLATION OF ELECTRICAL COMPONENTS




Figure 3 – ISOLATION OF ELECTRICAL COMPONENTS




Figure 4 – ISOLATION OF ELECTRICAL COMPONENTS




Figure 5 – ISOLATION OF ELECTRICAL COMPONENTS




Figure 6 – ISOLATION OF ELECTRICAL COMPONENTS




Figure 7 – ISOLATION BULKHEAD REQUIREMENTS





Figure 8 – BULKHEADS






Figures 9 A and 9 B – TYPICAL OUTBOARD DC SYSTEM

9A

**NOTES: 1. For location of overcurrent protection device (See E-11.12.1)**


**2. This diagram does not illustrate a complete system. Refer to appropriate text.**



9 B

**NOTES: 1. For location of overcurrent protection device (See E-11.12.1)**

**2. This diagram does not illustrate a complete system. Refer to appropriate text.**




FIGURES 10 A AND 10 B – TYPICAL INBOARD DC SYSTEM WITHOUT AN AC ELECTRICAL SYSTEM

10 A

**NOTES: 1. For location of overcurrent protection device (See E- 11.12.1)**

**2. This diagram does not illustrate a complete system. Refer to appropriate text.**



**E-11**  
**7/03**

10 B

**NOTES: 1. For location of overcurrent protection device (See E-11.12.1)**

**2. This diagram does not illustrate a complete system. Refer to appropriate text.**




FIGURE 11 – MAIN AND BRANCH CIRCUIT PROTECTION

*NOTE: This diagram does not illustrate a complete system. Refer to appropriate text.*




FIGURE 12 – STANDARD CONVENIENCE RECEPTACLE CONFIGURATION




FIGURE 13 – SHORE POWER CABLE CONFIGURATIONS

Locking and Grounding	20A 125V 2-POLE, 3-WIRE NEMA L5-20	30A 125V 2-POLE, 3-WIRE NEMA L5-30	30A 120/208V 3Ø/Y 4-POLE, 5-WIRE NEMA L21-30	50A 125V 2-POLE, 3-WIRE NEMA SS-1	50A 125/250V 3-POLE, 4-WIRE NEMA SS-2
Receptacle and Connector					
Plug and Inlet					

Wiring: GR-green; W-white; Unmarked, X, Y, Z, - Other colors, including black

**FIGURE 14 – SHORE POWER CABLE CONFIGURATIONS, PIN AND SLEEVE**


	<u>Shore Connection</u>		<u>Boat Connection</u>	
	Receptacle	Plug	Connector	Power Inlet
60 Ampere 125/250V 4 Wire				
100 Ampere 125/250V 4 Wire				
100 Ampere 120/208V 3 Ø 5 Wire				

Views are of mating faces of devices  
See UL 1686, Pin and Sleeve Configurations


FIGURE 15 – BATTERY SUPPLY CIRCUITS – LOCATION OF OVERCURRENT DEVICES

**NOTE:** Up to 40 inches (1.02m) is allowed if the conductor throughout this distance is contained in a sheath or enclosure, such as a junction box, control box, or enclosed panel.


SINGLE BATTERY  
(See E-11.12.1.2)



DUAL BATTERY  
(See E-11.12.1.2)



NO BATTERY SWITCH  
(See E-11.12.1.2)



NO STARTER CIRCUIT  
(See E-11.12.1.2)




FIGURE 16 – PANELBOARDS AND SWITCHBOARDS




FIGURE 17 – SOME TYPICAL TYPES OF TERMINALS






FIGURE 18 – DC NEGATIVE SYSTEM – DC GROUNDING SYSTEM (TYPICAL INBOARD DC SYSTEM)

- NOTES:** 1. Cathodic bonding – refer to [ABYC E-2, “Cathodic Protection”](#)
2. Lightning bonding – refer to [ABYC E-4 “Lightning Protection”](#)
3. For location of overcurrent protection device refer to [ABYC E-11.12.1](#)
4. This diagram does not illustrate a complete system. Refer to the appropriate text.




FIGURE 19 – DC COMMON GROUNDING SYSTEM




FIGURE 20 - COMBINED LIGHTNING/DC GROUNDING SYSTEM

**NOTE:** *Lightning protection requires conductivity to ground of not less than that of a 4 AWG copper conductor. See [ABYC E-4, "Lightning Protection"](#)*




TABLE III – FREE STANDING RANGE RATINGS

NAMEPLATE RATING (WATTS)	USE (WATTS)
10,000 or less	80% of rating
10,001 – 12,500	8,000
12,501 – 13,500	8,400
13,501 – 14,500	8,800
14,501 – 15,500	9,200
15,501 – 16,500	9,600
16,501 – 17,500	10,000

**NOTE:** Ratings are for free standing ranges as distinguished from separate oven and cooking units.

TABLE IV – ALLOWABLE AMPERAGE FOR SYSTEMS UNDER 50 VOLTS

CONDUCTOR SIZE  ENGLISH (METRIC) SEE TABLE VIII	Temperature Rating of Conductor Insulation												
	60° C (140° F)		75° C (167° F)		80° C (176° F)		90° C (194° F)		105° C (221° F)		125° C (257° F)		200° C (392° F)
	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE OR INSIDE ENGINE SPACES
18 (0.8)	10	5.8	10	7.5	15	11.7	20	16.4	20	17.0	25	22.3	25
16 (1)	15	8.7	15	11.3	20	15.6	25	20.5	25	21.3	30	25.7	35
14 (2)	20	11.6	20	15.0	25	19.5	30	24.6	35	29.8	40	35.6	45
12 (3)	25	14.5	25	18.8	35	27.3	40	32.8	45	38.3	50	44.5	55
10 (5)	40	23.2	40	30.0	50	39.0	55	45.1	60	51.0	70	62.3	70
8 (8)	55	31.9	65	48.8	70	54.6	70	57.4	80	68.0	90	80.1	100
6 (13)	80	46.4	95	71.3	100	78.0	100	82.0	120	102	125	111	135
4 (19)	105	60.9	125	93.8	130	101	135	110	160	136	170	151	180
2 (32)	140	81.2	170	127	175	138	180	147	210	178	225	200	240
1 (40)	165	95.7	195	146	210	163	210	172	245	208	265	235	280
0 (50)	195	113	230	172	245	191	245	200	285	242	305	271	325
00 (62)	225	130	265	198	285	222	285	233	330	280	355	316	370
000 (81)	260	150	310	232	330	257	330	270	385	327	410	384	430
0000 (103)	300	174	380	270	385	300	385	315	445	378	475	422	510

**NOTE:** Cross reference with voltage drop tables and formula in E-11.16.1.2.9., Note 2.

TABLE V - A – CIRCUIT BREAKER MINIMUM AMPERE INTERRUPTING CAPACITY FOR SYSTEMS UNDER 50 VOLTS

	Total Connected Battery (Cold Cranking Amperes)	Ampere Interrupting Capacity (AIC) (amperage available at circuit breaker terminals)	
		Main Circuit Breaker (Amperes) *See Note	Branch Circuit Breaker (Amperes) *See Note
12 Volts and 24 Volts	650 or less	1500	750
	651-1100	3000	1500
	over 1100	5000	2500
32 Volts	1250 or less	3000	1500
	over 1250	5000	2500

**E-11**  
**7/03**

**\*NOTE:** *The main circuit breaker(s) shall be considered to be the first breaker(s) in a circuit connected in series with the battery. All subsequent breakers, including sub-main breakers, connected in series with a main circuit breaker shall be considered to be “branch circuit breakers.” (See FIGURE 16.)*

TABLE V - B – CIRCUIT BREAKER INTERRUPTING CAPACITY FOR SYSTEM OVER 50 VOLT

SHORE POWER SOURCE	MAIN SHORE POWER DISCONNECT CIRCUIT BREAKER	BRANCH BREAKER
120V – 30A	3000	3000
120V – 50A	3000	3000
120/240V – 50A	5000	3000
240V – 50A	5000	3000
120/208V – 3 phase/WYE – 30A	5000	3000
120/240V – 100A	5000	3000
120/208V – 3 phase/WYE – 100A	5000	3000

**NOTES: 1.** *The main circuit breaker shall be considered to be the first circuit breaker connected to a source of AC power. All subsequent breakers, including sub-main breakers connected in series with a main circuit breaker, shall be considered to be branch circuit breakers.*

**2.** *A fuse in series with, and ahead of, a circuit breaker may be required by the circuit breaker manufacturer to achieve the interrupting capacity in TABLE V - B .*

TABLE VI – SAE CONDUCTORS

SAE CONDUCTORS		
TYPE	DESCRIPTION	AVAILABLE INSULATION TEMPERATURE RATING PER SAE J378
GPT	Thermoplastic Insulation, Braidless	60° C (140° F), 90° C (194° F), 105° C (221° F)
HDT	Thermoplastic Insulation, Braidless	60° C (140° F), 90° C (194° F), 105° C (221° F)
SGT	Thermoplastic Insulation, Braidless	60° C (140° F), 90° C (194° F), 105° C (221° F)
STS	Thermosetting Synthetic Rubber Insulation, Braidless	85° C (185° F), 90° C (194° F)
HTS	Thermosetting Synthetic Rubber Insulation, Braidless	85° C (185° F), 90° C (194° F)
SXL	Thermosetting Cross Linked Polyethylene Insulation, Braidless	125° C (257° F)

TABLE VII – A – ALLOWABLE AMPERAGE OF CONDUCTORS WHEN NO MORE THAN TWO CURRENT CARRYING CONDUCTORS ARE BUNDLED

CONDUCTOR  SIZE (AWG)	TEMPERATURE RATING OF CONDUCTOR INSULATION												
	60°C (140°F)		75°C (167°F)		80°C (176°F)		90°C (194°F)		105°C (221°F)		125°C (257°F)		200°C (392°F)
	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE OR INSIDE ENGINE SPACES
18	10	5.8	10	7.5	15	11.7	20	16.4	20	17.0	25	22.3	25
16	15	8.7	15	11.3	20	15.6	25	20.5	25	21.3	30	26.7	35
14	20	11.6	20	15.0	25	19.5	30	24.6	35	29.8	40	35.6	45
12	25	14.5	25	18.8	35	27.3	40	32.8	45	38.3	50	44.5	55
10	40	23.2	40	30.0	50	39.0	55	45.1	60	51.0	70	62.3	70
8	55	31.9	65	48.8	70	54.6	70	57.4	80	68.0	90	80.1	100
6	80	46.4	95	71.3	100	78.0	100	82.0	120	102.0	125	111.3	135
4	105	60.9	125	93.8	130	101.4	135	110.7	160	136.0	170	151.3	180
3	120	69.6	145	108.8	150	117.0	155	127.1	180	153.0	195	173.6	210
2	140	81.2	170	127.5	175	136.5	180	147.6	210	178.5	225	200.3	240
1	165	95.7	195	146.3	210	163.8	210	172.2	245	208.3	265	235.9	280
0	195	113.1	230	172.5	245	191.1	245	200.9	285	242.3	305	271.5	325
00	225	130.5	265	198.8	285	222.3	285	233.7	330	280.5	355	316.0	370
000	260	150.8	310	232.5	330	257.4	330	270.6	385	327.3	410	364.9	430
0000	300	174.0	360	270.0	385	300.3	385	315.7	445	378.3	475	422.8	510

TABLE VII – B – ALLOWABLE AMPERAGE OF CONDUCTORS WHEN THREE CURRENT CARRYING CONDUCTORS ARE BUNDLED

CONDUCTOR  SIZE (AWG)	TEMPERATURE RATING OF CONDUCTOR INSULATION												
	60°C (140°F)		75°C (167°F)		80°C (176°F)		90°C (194°F)		105°C (221°F)		125°C (257°F)		200°C (392°F)
	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE OR INSIDE ENGINE SPACES
18	7.0	4.1	7.0	5.3	10.5	8.2	14.0	11.5	14.0	11.9	17.5	15.6	17.5
16	10.5	6.1	10.5	7.9	14.0	10.9	17.5	14.4	17.5	14.9	21.0	18.7	24.5
14	14.0	8.1	14.0	10.5	17.5	13.7	21.0	17.2	24.5	20.8	28.0	24.9	31.5
12	17.5	10.2	17.5	13.1	24.5	19.1	28.0	23.0	31.5	26.8	35.0	31.2	38.5
10	28.0	16.2	28.0	21.0	35.0	27.3	38.5	31.6	42.0	35.7	49.0	43.6	49.0
8	38.5	22.3	45.5	34.1	49.0	38.2	49.0	40.2	56.0	47.6	63.0	56.1	70.0
6	56.0	32.5	66.5	49.9	70.0	54.6	70.0	57.4	84.0	71.4	87.5	77.9	94.5
4	73.5	42.6	87.5	65.6	91.0	71.0	94.5	77.5	112.0	95.2	119.0	105.9	126.0
3	84.0	48.7	101.5	76.1	105.0	81.9	108.5	89.0	126.0	107.1	136.5	121.5	147.0
2	98.0	56.8	119.0	89.3	122.5	95.6	126.0	103.3	147.0	125.0	157.5	140.2	168.0
1	115.5	67.0	136.5	102.4	147.0	114.7	147.0	120.5	171.5	145.8	185.5	165.1	196.0
0	136.5	79.2	161.0	120.8	171.5	133.8	171.5	140.6	199.5	169.6	213.5	190.0	227.5
00	157.5	91.4	185.5	139.1	199.5	155.6	199.5	163.6	231.0	196.4	248.5	221.2	259.0
000	182.0	105.6	217.0	162.8	231.0	180.2	231.0	189.4	269.5	229.1	287.0	255.4	301.0
0000	210.0	121.8	252.0	189.0	269.5	210.2	269.5	221.0	311.5	264.8	332.5	295.9	357.0

TABLE VII – C – ALLOWABLE AMPERAGE OF CONDUCTORS WHEN FOUR TO SIX CURRENT CARRYING CONDUCTORS ARE BUNDLED

CONDUCTOR SIZE (AWG)	TEMPERATURE RATING OF CONDUCTOR INSULATION												
	60°C (140°F)		75°C (167°F)		80°C (176°F)		90°C (194°F)		105°C (221°F)		125°C (257°F)		200°C (392°F)
	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE OR INSIDE ENGINE SPACES
18	6.0	3.5	6.0	4.5	9.0	7.0	12.0	9.8	12.0	10.2	15.0	13.4	15.0
16	9.0	5.2	9.0	6.8	12.0	9.4	15.0	12.3	15.0	12.8	18.0	16.0	21.0
14	12.0	7.0	12.0	9.0	15.0	11.7	18.0	14.8	21.0	17.9	24.0	21.4	27.0
12	15.0	8.7	15.0	11.3	21.0	16.4	24.0	19.7	27.0	23.0	30.0	26.7	33.0
10	24.0	13.9	24.0	18.0	30.0	23.4	33.0	27.1	36.0	30.6	42.0	37.4	42.0
8	33.0	19.1	39.0	29.3	42.0	32.8	42.0	34.4	48.0	40.8	54.0	48.1	60.0
6	48.0	27.8	57.0	42.8	60.0	46.8	60.0	49.2	72.0	61.2	75.0	66.8	81.0
4	63.0	36.5	75.0	56.3	78.0	60.8	81.0	66.4	96.0	81.6	102.0	90.8	108.0
3	72.0	41.8	87.0	65.3	90.0	70.2	93.0	76.3	108.0	91.8	117.0	104.1	126.0
2	84.0	48.7	102.0	76.5	105.0	81.9	108.0	88.6	126.0	107.1	135.0	120.2	144.0
1	99.0	57.4	117.0	87.8	126.0	98.3	126.0	103.3	147.0	125.0	159.0	141.5	168.0
0	117.0	67.9	138.0	103.5	147.0	114.7	147.0	120.5	171.0	145.4	183.0	162.9	195.0
00	135.0	78.3	159.0	119.3	171.0	133.4	171.0	140.2	198.0	168.3	213.0	189.6	222.0
000	156.0	90.5	186.0	139.5	198.0	154.4	198.0	162.4	231.0	196.4	246.0	218.9	258.0
0000	180.0	104.4	216.0	162.0	231.0	180.2	231.0	189.4	267.0	227.0	285.0	253.7	306.0

TABLE VII – D – ALLOWABLE AMPERAGE OF CONDUCTORS WHEN SEVEN TO 24 CURRENT CARRYING CONDUCTORS ARE BUNDLED

CONDUCTOR SIZE (AWG)	TEMPERATURE RATING OF CONDUCTOR INSULATION												
	60°C (140°F)		75°C (167°F)		80°C (176°F)		90°C (194°F)		105°C (221°F)		125°C (257°F)		200°C (392°F)
	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE OR INSIDE ENGINE SPACES
18	5.0	2.9	5.0	3.8	7.5	5.9	10.0	8.2	10.0	8.5	12.5	11.1	12.5
16	7.5	4.4	7.5	5.6	10.0	7.8	12.5	10.3	12.5	10.6	15.0	13.4	17.5
14	10.0	5.8	10.0	7.5	12.5	9.8	15.0	12.3	17.5	14.9	20.0	17.8	22.5
12	12.5	7.3	12.5	9.4	17.5	13.7	20.0	16.4	22.5	19.1	25.0	22.3	27.5
10	20.0	11.6	20.0	15.0	25.0	19.5	27.5	22.6	30.0	25.5	35.0	31.2	35.0
8	27.5	16.0	32.5	24.4	35.0	27.3	35.0	28.7	40.0	34.0	45.0	40.1	50.0
6	40.0	23.2	47.5	35.6	50.0	39.0	50.0	41.0	60.0	51.0	62.5	55.6	67.5
4	52.5	30.5	62.5	46.9	65.0	50.7	67.5	55.4	80.0	68.0	85.0	75.7	90.0
3	60.0	34.8	72.5	54.4	75.0	58.5	77.5	63.6	90.0	76.5	97.5	86.8	105.0
2	70.0	40.6	85.0	63.8	87.5	68.3	90.0	73.8	105.0	89.3	112.5	100.1	120.0
1	82.5	47.9	97.5	73.1	105.0	81.9	105.0	86.1	122.5	104.1	132.5	117.9	140.0
0	97.5	56.6	115.0	86.3	122.5	95.6	122.5	100.5	142.5	121.1	152.5	135.7	162.5
00	112.5	65.3	132.5	99.4	142.5	111.2	142.5	116.9	165.0	140.3	177.5	158.0	185.0
000	130.0	75.4	155.0	116.3	165.0	128.7	165.0	135.3	192.5	163.6	205.0	182.5	215.0
0000	150.0	87.0	180.0	135.0	192.5	150.2	192.5	157.9	222.5	189.1	237.5	211.4	255.0

TABLE VII – E - ALLOWABLE AMPERAGE OF CONDUCTORS WHEN 25 OR MORE CURRENT CARRYING CONDUCTORS ARE BUNDLED

TEMPERATURE RATING OF CONDUCTOR INSULATION													
CONDUCTOR SIZE (AWG)	60°C (140°F)		75°C (167°F)		80°C (176°F)		90°C (194°F)		105°C (221°F)		125°C (257°F)		200°C (392°F)
	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE ENGINE SPACES	INSIDE ENGINE SPACES	OUTSIDE OR INSIDE ENGINE SPACES
18	4.0	2.3	4.0	3.0	6.0	4.7	8.0	6.6	8.0	6.8	10.0	8.9	10.0
16	6.0	3.5	6.0	4.5	8.0	6.2	10.0	8.2	10.0	8.5	12.0	10.7	14.0
14	8.0	4.6	8.0	6.0	10.0	7.8	12.0	9.8	14.0	11.9	16.0	14.2	18.0
12	10.0	5.8	10.0	7.5	14.0	10.9	16.0	13.1	18.0	15.3	20.0	17.8	22.0
10	16.0	9.3	16.0	12.0	20.0	15.6	22.0	18.0	24.0	20.4	28.0	24.9	28.0
8	22.0	12.8	26.0	19.5	28.0	21.8	28.0	23.0	32.0	27.2	36.0	32.0	40.0
6	32.0	18.6	38.0	28.5	40.0	31.2	40.0	32.8	48.0	40.8	50.0	44.5	54.0
4	42.0	24.4	50.0	37.5	52.0	40.6	54.0	44.3	64.0	54.4	68.0	60.5	72.0
3	48.0	27.8	58.0	43.5	60.0	46.8	62.0	50.8	72.0	61.2	78.0	69.4	84.0
2	56.0	32.5	68.0	51.0	70.0	54.6	72.0	59.0	84.0	71.4	90.0	80.1	96.0
1	66.0	38.3	78.0	58.5	84.0	65.5	84.0	68.9	98.0	83.3	106.0	94.3	112.0
0	78.0	45.2	92.0	69.0	98.0	76.4	98.0	80.4	114.0	96.9	122.0	108.6	130.0
00	90.0	52.2	106.0	79.5	114.0	88.9	114.0	93.5	132.0	112.2	142.0	126.4	148.0
000	104.0	60.3	124.0	93.0	132.0	103.0	132.0	108.2	154.0	130.9	164.0	146.0	172.0
0000	120.0	69.6	144.0	108.0	154.0	120.1	154.0	126.3	178.0	151.3	190.0	169.1	204.0

TABLE VIII - FLEXIBLE CORDS

Table VIII A

FLEXIBLE CORDS		
TYPE	DESCRIPTION	AVAILABLE INSULATION TEMPERATURE RATING
SO, SOW	Hard Service Cord, Oil Resistant Compound	60°C (140° F), 75°C (167°F) & higher
ST, STW	Hard Service Cord, Thermoplastic	60°C (140° F), 75°C (167°F) & higher
STO, STOW, SEO, SEOW	Hard Service Cord, Oil Resistant Thermoplastic	60°C (140° F), 75°C (167°F) & higher
SJO, SJOW	Junior Hard Service Cord, Oil Resistant Compound	60°C (140°F), 75°C (167°F) & higher
SJT, SJTW	Junior Hard Service Cord, Thermoplastic	60°C (140°F), 75°C (167°F) & higher
SJTO, SJTOW	Junior Hard Service Cord, Oil Resistant Thermoplastic	60°C (140°F), 75°C (167°F) & higher

**E-11**  
**7/03**

Table VIII B (SEE E-11.16.1.1.1 AND E-11.16.1.3.4)

TYPE	DAMP LOCATION	OIL RESISTANT COVER	EXTRA HARD USAGE	HARD USAGE
SE, SEW	X		X	
SEO, SEOW	X	X	X	
SJ, SJW	X			X
SJE, SJEW	X			X
SJEO, SJEOW	X	X		X
SJO, SJOW	X	X		X
SJOO, SJOOW	X	X		X
SJT, SJTW	X			X
SJTO, SJTOW	X	X		X
SJTOO, SJTOOW	X	X		X
SO, SOW	X	X	X	
ST, STW	X		X	
STO, STOW	X	X	X	
STOO, STOOW	X	X	X	

**NOTES:** 1. Available in the same temperature rating as flexible cords in Table VIII A

2. 167°F (75°C) dry insulation is suitable for use inside machinery spaces.

3. 140°F (60°C) dry insulation is suitable only for use outside machinery spaces.

4. Oil resistant cover shall be used in machinery spaces.

TABLE IX – CONDUCTORS

CONDUCTORS		
TYPES (SEE NOTE)	DESCRIPTION	AVAILABLE INSULATION TEMPERATURE RATING
THW	Moisture and Heat-Resistant, Thermoplastic	75° C (167° F)
TW	Moisture-Resistant, Thermoplastic	60° C (140° F)
HWN	Moisture and Heat-Resistant, Thermoplastic	75° C (167° F)
XHHW	Moisture and Heat-Resistant, Cross Linked Synthetic Polymer	90° C (194° F)
MTW	Moisture, Heat and Oil Resistant, Thermoplastic	90° C (194° F)
AWM	Style Nos. 1230, Moisture, Heat and Oil Resistant, 1231-1232, 1275 Thermoplastic, Thermosetting 1344-1346	105° C (221° F)
UL 1426	Boat Cable	(See UL 1426 Cables for Boats)

**NOTE:** Some of the listed types are not commonly available in stranded construction for sizes smaller than 8 AWG.



TABLE X – CONDUCTORS SIZED FOR 3 PERCENT DROP IN VOLTAGE

**NOTE:** In the event of a conflict between the voltage drop table and the ampacity table, use the larger wire size.

		Length of Conductor from Source of Current to Device and Back to Source - Feet																		
		10	15	20	25	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
TOTAL CURRENT ON CIRCUIT IN AMPS.	<u>12 Volts - 3% Drop Wire Sizes (gauge) - Based on Minimum CM Area</u>																			
	5	18	16	14	12	12	10	10	10	8	8	8	6	6	6	6	6	6	6	6
	10	14	12	10	10	10	8	6	6	6	6	4	4	4	4	2	2	2	2	2
	15	12	10	10	8	8	6	6	6	4	4	2	2	2	2	2	1	1	1	1
	20	10	10	8	6	6	6	4	4	2	2	2	2	1	1	1	0	0	0	2/0
	25	10	8	6	6	6	4	4	2	2	2	1	1	0	0	0	2/0	2/0	2/0	3/0
	30	10	8	6	6	4	4	2	2	1	1	0	0	0	2/0	2/0	3/0	3/0	3/0	3/0
	40	8	6	6	4	4	2	2	1	0	0	0	2/0	2/0	3/0	3/0	3/0	4/0	4/0	4/0
	50	6	6	4	4	2	2	1	0	2/0	2/0	3/0	3/0	3/0	4/0	4/0	4/0	4/0	4/0	4/0
	60	6	4	4	2	2	1	0	2/0	3/0	3/0	4/0	4/0	4/0	4/0					
	70	6	4	2	2	1	0	2/0	3/0	3/0	4/0	4/0	4/0							
80	6	4	2	2	1	0	3/0	3/0	4/0	4/0										
90	4	2	2	1	0	2/0	3/0	4/0	4/0											
100	4	2	2	1	0	2/0	3/0	4/0	4/0											
		<u>24 Volts - 3% Drop Wire Sizes (gauge) - Based on Minimum CM Area</u>																		
5	18	18	18	16	16	14	12	12	12	10	10	10	10	10	8	8	8	8	8	
10	18	16	14	12	12	10	10	10	8	8	8	6	6	6	6	6	6	6	6	
15	16	14	12	12	10	10	8	8	6	6	6	6	6	4	4	4	4	4	2	
20	14	12	10	10	10	8	6	6	6	6	4	4	4	4	2	2	2	2	2	
25	12	12	10	10	8	6	6	6	4	4	4	4	2	2	2	2	2	2	1	
30	12	10	10	8	8	6	6	4	4	4	2	2	2	2	1	1	1	1	1	
40	10	10	8	6	6	6	4	4	2	2	2	1	1	1	0	0	0	0	2/0	
50	10	8	6	6	6	4	4	2	2	2	1	1	0	0	2/0	2/0	2/0	2/0	3/0	
60	10	8	6	6	4	4	2	2	1	1	0	0	0	2/0	2/0	3/0	3/0	3/0	3/0	
70	8	6	6	4	4	2	2	1	1	0	0	2/0	2/0	3/0	3/0	3/0	3/0	4/0	4/0	
80	8	6	6	4	4	2	2	1	0	0	0	2/0	2/0	3/0	3/0	3/0	4/0	4/0	4/0	
90	8	6	4	4	2	2	1	0	0	2/0	2/0	3/0	3/0	4/0	4/0	4/0	4/0	4/0	4/0	
100	6	6	4	4	2	2	1	0	2/0	2/0	3/0	3/0	4/0	4/0	4/0	4/0	4/0	4/0	4/0	
		<u>32 Volts - 3% Drop Wire Sizes (gauge) - Based on Minimum CM Area</u>																		
5	18	18	18	18	16	16	14	14	12	12	12	12	10	10	10	10	10	10	8	
10	18	16	16	14	14	12	12	10	10	10	8	8	8	8	8	6	6	6	6	
15	16	14	14	12	12	10	10	8	8	8	6	6	6	6	6	6	6	6	4	
20	16	14	12	12	10	10	8	6	6	6	6	6	6	4	4	4	4	4	2	
25	14	12	12	10	10	8	8	6	6	6	6	4	4	4	4	2	2	2	2	
30	14	12	10	10	8	8	6	6	6	4	4	4	4	2	2	2	1	1	1	
40	12	10	10	8	8	6	6	4	4	4	2	2	2	2	1	1	1	1	1	
50	12	10	8	8	6	6	4	4	2	2	2	2	2	1	1	0	0	0	0	
60	10	8	8	6	6	4	4	2	2	2	2	1	1	0	0	0	2/0	2/0	2/0	
70	10	8	6	6	6	4	2	2	2	1	1	0	0	0	2/0	2/0	3/0	3/0	3/0	
80	10	8	6	6	4	4	2	2	1	1	0	0	0	2/0	2/0	3/0	3/0	3/0	3/0	
90	8	6	6	6	4	2	2	2	1	0	0	2/0	2/0	2/0	3/0	3/0	3/0	4/0	4/0	
100	8	6	6	4	4	2	2	1	0	0	2/0	2/0	2/0	3/0	3/0	3/0	4/0	4/0	4/0	

**E-11**  
**7/03**

TABLE XI CONDUCTORS SIZES FOR 10 % VOLTAGE DROP

**NOTE:** *In the event of a conflict between the voltage drop table and the ampacity table, use the larger wire size.*

Length of Conductor from Source of Current to Device and Back to Source - Feet		10	15	20	25	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170		
TOTAL CURRENT ON CIRCUIT IN AMPS	<u>12 Volts - 10% Drop Wire Sizes (gauge)</u>	- Based on Minimum CM Area																				
	5	18	18	18	18	18	16	16	14	14	14	12	12	12	12	12	10	10	10	10		
	10	18	18	16	16	14	14	12	12	10	10	10	10	8	8	8	8	8	8	8	6	
	15	18	16	14	14	12	12	10	10	8	8	8	8	8	6	6	6	6	6	6	6	
	20	16	14	14	12	12	10	10	8	8	8	6	6	6	6	6	6	6	4	4	4	
	25	16	14	12	12	10	10	8	8	6	6	6	6	6	4	4	4	4	4	4	2	
	30	14	12	12	10	10	8	8	6	6	6	6	4	4	4	4	2	2	2	2	2	
	40	14	12	10	10	8	8	6	6	6	4	4	4	2	2	2	2	2	2	2	2	
	50	12	10	10	8	8	6	6	4	4	4	2	2	2	2	1	1	1	1	1	1	
	60	12	10	8	8	6	6	4	4	2	2	2	2	2	1	1	1	0	0	0	0	
	70	10	8	8	6	6	6	4	2	2	2	2	1	1	1	0	0	0	0	2/0	2/0	
	80	10	8	8	6	6	4	4	2	2	2	1	1	0	0	0	2/0	2/0	2/0	2/0	2/0	
	90	10	8	6	6	6	4	2	2	2	1	1	0	0	0	2/0	2/0	2/0	2/0	3/0	3/0	
	100	10	8	6	6	4	4	2	2	1	1	0	0	0	2/0	2/0	2/0	3/0	3/0	3/0	3/0	
		<u>24 Volts - 10% Drop Wire Sizes (gauge)</u>	- Based on Minimum CM Area																			
	5	18	18	18	18	18	18	18	18	16	16	16	16	14	14	14	14	14	14	14	12	
	10	18	18	18	18	18	16	16	16	14	14	14	12	12	12	12	10	10	10	10	10	
15	18	18	18	16	16	14	14	14	12	12	10	10	10	10	8	8	8	8	8	8		
20	18	18	16	16	14	14	12	12	10	10	10	10	8	8	8	8	8	8	8	6		
25	18	16	16	14	14	12	12	10	10	10	8	8	8	8	6	6	6	6	6	6		
30	18	16	14	14	12	12	10	10	8	8	8	8	8	6	6	6	6	6	6	6		
40	16	14	14	12	12	10	10	8	8	8	6	6	6	6	6	6	4	4	4	4		
50	16	14	12	12	10	10	8	8	6	6	6	6	6	4	4	4	4	4	4	2		
60	14	12	12	10	10	8	8	6	6	6	6	4	4	4	4	2	2	2	2	2		
70	14	12	10	10	8	8	6	6	6	4	4	4	2	2	2	2	2	2	2	2		
80	14	12	10	10	8	8	6	6	6	4	4	4	2	2	2	2	2	2	2	2		
90	12	10	10	8	8	6	6	6	4	4	4	2	2	2	2	2	2	1	1	1		
100	12	10	10	8	8	6	6	4	4	4	2	2	2	2	2	2	1	1	1	1		
	<u>32 Volts - 10% Drop Wire Sizes (gauge)</u>	- Based on Minimum CM Area																				
5	18	18	18	18	18	18	18	18	18	18	18	16	16	16	16	14	14	14	14	14		
10	18	18	18	18	18	18	16	16	14	14	14	14	14	12	12	12	12	12	12	12		
15	18	18	18	18	18	16	14	14	14	12	12	12	10	10	10	10	10	10	10	10		
20	18	18	18	16	16	14	14	12	12	12	10	10	10	10	10	8	8	8	8	8		
25	18	18	16	16	14	14	12	12	10	10	10	10	10	8	8	8	8	8	8	8		
30	18	18	16	14	14	12	12	10	10	10	10	8	8	8	8	8	6	6	6	6		
40	18	16	14	14	12	12	10	10	8	8	8	8	8	6	6	6	6	6	6	6		
50	16	14	14	12	12	10	10	8	8	8	6	6	6	6	6	6	6	6	4	4		
60	16	14	12	12	10	10	8	8	8	6	6	6	6	6	6	4	4	4	4	4		
70	14	14	12	10	10	8	8	8	6	6	6	6	6	4	4	4	4	4	2	2		
80	14	12	12	10	10	8	8	6	6	6	6	4	4	4	4	2	2	2	2	2		
90	14	12	10	10	10	8	6	6	6	6	4	4	4	4	2	2	2	2	2	2		
100	14	12	10	10	8	8	6	6	6	4	4	4	4	4	2	2	2	2	2	2		

TABLE XII - CONDUCTOR CIRCULAR MIL (CM) AREA AND STRANDING

CONDUCTOR GAUGE	MINIMUM ACCEPTABLE CM AREA AWG	MINIMUM ACCEPTABLE CM AREA SAE	MINIMUM NUMBER OF STRANDS		
			TYPE 1*	TYPE 2**	TYPE 3***
18	1,620	1,537	-	16	-
16	2,580	2,336	-	19	26
14	4,110	3,702	-	19	41
12	6,530	5,833	-	19	65
10	10,380	9,343	-	19	105
8	16,510	14,810	-	19	168
6	26,240	24,538	-	37	266
4	41,740	37,360	-	49	420
2	66,360	62,450	-	127	665
1	83,690	77,790	-	127	836
0	105,600	98,980	-	127	1064
00	133,100	125,100	-	127	1323
000	167,800	158,600	-	259	1666
0000	211,600	205,500	-	418	2107

\*Type 1 - Solid conductor and stranding less than that indicated under Type 2 shall not be used

\*\*Type 2 - Conductors with at least Type 2 stranding shall be used for general purpose boat wiring.

\*\*\*Type 3 - Conductors with Type 3 stranding shall be used for any wiring where frequent flexing is involved in normal use.

**NOTE: 1.** Metric wire sizes may be used if of equivalent circular mil area. If the circular mil area of the metric conductor is less than that listed, the wire ampacity shall be corrected based on the ratio of the circular mil areas. For comparison of conductor cross sections (AWG and ISO) (See AP TABLE 2)

**2.** The circular mil area given is equal to the mathematical square of the diameter of the AWG standard solid copper conductor measured in one thousandths of an inch.

$$\text{The area in square inches} = \frac{\pi(\text{circular mils})}{4(1,000,000)}$$

The circular mil area of the stranded conductors may differ from the tabulated values and is the sum of the circular mil areas of the wires (strands) in the conductor.

**E-11**  
**7/03**

TABLE XIII – CONDUCTOR AMPACITY – FLEXIBLE CORDS [60°C (140°F) INSULATED RATING]

CONDUCTOR SIZE (AWG)	NOMINAL CM AREA (SEE NOTE (1))	AMPACITY OF INSULATED COPPER CONDUCTORS (SEE NOTES (1) AND (2))			
		OUTSIDE ENGINE SPACES 30°C (86°F) AMBIENT		INSIDE ENGINE SPACES 50°C (122°F) AMBIENT	
		3 CURRENT CARRYING CONDUCTORS	2 CURRENT CARRYING CONDUCTORS	3 CURRENT CARRYING CONDUCTORS	2 CURRENT CARRYING CONDUCTORS
16	2,580	10	13	6	8
14	4,110	15	18	9	11
12	6,530	20	25	12	15
10	10,380	25	30	15	20
8	16,510	35	40	20	25
6	26,240	45	55	30	35
4	41,740	60	70	35	40
2	66,360	80	95	50	55

**NOTES: 1.** Current ratings are for not more than two or three current carrying conductors in a flexible cord as indicated. Reduce the current rating to 80 percent of values shown for four to six current carrying conductors.

**2.** The ampacity of shore cables shall be based on 86°F (30°C) ambient.

TABLE XIV - WIRING COLOR CODE

Color	Use
Green, or green w/yellow stripe(s)	DC grounding conductors
Black, or yellow	DC negative conductors
Red	DC positive conductors

TABLE XV – ENGINE AND ACCESSORY WIRING COLOR CODE

COLOR	ITEM	USE
Yellow w/Red Stripe (YR)	Starting Circuit	Starting switch to solenoid
Brown/Yellow Stripe (BY) or Yellow (Y) - see note	Bilge Blowers	Fuse or switch to blowers
Dark Gray (Gy)	Navigation Lights Tachometer	Fuse or switch to lights Tachometer sender to gauge
Brown (Br)	Generator Armature Alternator Charge Light  Pumps	Generator armature to regulator Generator Terminal/alternator Auxiliary terminal to light to regulator Fuse or switch to pumps
Orange (O)	Accessory Feed	Ammeter to alternator or generator output and accessory fuses or switches. Distribution panel to accessory switch
Purple (Pu)	Ignition Instrument Feed	Ignition switch to coil and electrical instruments. Distribution panel to electric instruments
Dark Blue	Cabin and Instrument Lights	Fuse or switch to lights
Light Blue (Lt Bl)	Oil Pressure	Oil pressure sender to gauge
Tan	Water Temperature	Water temperature sender to gauge
Pink (Pk)	Fuel Gauge	Fuel gauge sender to gauge
Green/Stripe (G/x) (Except G/Y)	Tilt down and/or Trim in	Tilt and/or trim circuits
Blue/Stripe (Bl/x)	Tilt up and/or Trim out	Tilt and/or trim circuits

**NOTE:** *If yellow is used for DC negative, blower must be brown with yellow stripe.*

TABLE XVI – TENSILE TEST VALUES FOR CONNECTIONS

CONDUCTOR SIZE GAUGE	TENSILE FORCE		CONDUCTOR SIZE GAUGE	TENSILE FORCE	
	POUNDS	NEWTONS		POUNDS	NEWTONS
18	10	44	4	70	311
16	15	66	3	80	355
14	30	133	2	90	400
12	35	155	1	100	444
10	40	177	0	125	556
8	45	200	00	150	667
6	50	222	000	175	778
5	60	266	0000	225	1000

**E-11**  
**7/03**

AP TABLE 1 – CONDUCTORS

AWG	INSULATION TYPE	NOMINAL WALL THICKNESS (MILS)	MAXIMUM OPERATING TEMP. DRY (°C)	MAXIMUM OPERATING TEMP. WET (°C)	BREAK DOWN VOLTAGE (V)	OIL RESISTANT TEMP. (°C)	COMMENTS
14-10	THW	45	75	75	600		Thermoplastic
8-2	THW	60					
1-4/0	THW	80					
14-10	TW	30	75	60	600		Thermoplastic
8	TW	45					
14-12	THWN	19	105	75	600	60	PVC/Nylon
10	THWN	20					
14-12	XHHW	30	90	75	600		X-linked
10							
8-2		45					
1-4/0		55					
18-10	MTW	45	90	60	600		Heavy Wall PVC
8	MTW	45					
6	MTW	60					
18-8	TW	30	90	60	600		Light Wall PVC
18-10	AWM Style #1230 PVC	30	105	60	600	60	
18-8	AWM Style #1231 PVC	45	105	60	600	60	
8-2	AWM Style #1232 PVC	60	105	60	600	60	
1-4/0	AWM Style #1232 PVC	80	105	60	600	60	
18-10	AWM Style #1275 PVC	60	105	60	600	60	
18-10	AWM Style #1345 PVC	30	105	75	600	60	
8-2	AWM Style #1346 PVC	60	105	75	600	60	
18-10	UL 1426 Boat Cable	30	105	75	600	60	
8	Boat Cable	45	105	75	600	60	
6-2	Boat Cable	60	105	75	600	60	
1-4/0	Boat Cable	80	105	75	600	60	

**NOTES: 1. AWM must be accompanied by a style number.**

**2. AWM style 1015 is not tested for moisture.**

**3. Some of the listed types are not commonly available in standard construction for sizes smaller than 8 AWG. However, these types are acceptable if obtainable.**

AP TABLE 2 – COMPARISON OF CONDUCTOR CROSS –SECTION

AWG (Ga.)	AWG		ISO	
	mm <sup>2</sup>	Ampacity (105° C Insulation)	mm <sup>2</sup>	Ampacity (105° C Insulation)
18	0.82	20	0.75	16
			1.0	20
16	1.31	25	1.5	25
14	2.08	35	2.5	35
12	3.31	45	4.0	45
10	5.26	60	6.0	60
8	8.39	80	10.0	90
6	13.3	120	16.0	130
4	21.2	160		
3	26.6	180	25.0	170
2	33.6	210	35.0	210
1	42.4	245		
0	53.5	285	50.0	270
2/0	67.7	330	70.0	330
3/0	85.2	385	95.0	390
4/0	107	445		
250 kcm	127	500	120	450
300 kcm	152	550	150	475

*NOTES: 1. Ampacity for ISO sizes is from ISO/FDIS 10133 “Electrical Systems-Extra-low-voltage D.C. Installations” dated February 2, 1999.*

*2. Ampacity of AWG is from E-11 TABLE VII – A and NEC for 221° F (105° C) insulation no more than two conductors bundled in air at 70° F (21° C).*

\* \* \* \* \*

ABYC technical board rules provide that all reports, including standards and technical information reports, are advisory only. Their use is entirely voluntary. They are believed to represent, as of the date of publication, the consensus of knowledgeable persons, currently active in the field of small craft, on performance objectives that contribute to small boat safety.

The American Boat & Yacht Council assumes no responsibility whatsoever for the use of, or failure to use, standards or technical information reports promulgated by it, their adaptation to any processes of a user, or any consequences flowing therefrom.

Prospective users of the standards and technical information reports are responsible for protecting themselves against liability for infringement of patents.

The American Boat & Yacht Council standards are guides to achieving a specific level of design or performance, and are not intended to preclude attainment of desired results by other means.